

REFERENCE VALUE

CHANGE

MML NEW ENGLAND

NOTIFICATION DATE: August 13,2009

EFFECTIVE DATE: Immediately

LEAD, B
#300098

EXPLANATION: Units of measure for Lead will change from ug/dL to mcg/dL to be consistent with other Metals tests. Lead reference value will also include the word “Desirable”. We apologize for the lack of lead time on this change.

PREVIOUS REFERENCE VALUE:

LEAD

<10 ug/dL

Critical values

Pediatrics (< or =15 years): > or =20 ug/dL

Adults (> or =16 years): > or =70 ug/dL

NEW REFERENCE VALUE:

LEAD

Desirable <10 mcg/dL

Critical values

Pediatrics (< or =15 years): > or =20 mcg/dL

Adults (> or =16 years): > or =70 mcg/dL

TEST DEFINITION

8/13/2009

CODE NAME

300098 LEAD, B

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *

300098 (PROFILE)			LEAD, B			
300104	7/28/2009		LEAD, B			NEL
			TRANSPORT TEMP : REFRIG\FROZEN OK\AMBIENT OK			
			11178 LEAD, B			
			UNITS: MCG/DL			
			NO SEX			
			No AGE : -9.9		; DESIRABLE <10	
			1D TO 15Y : -9.9		; DESIRABLE <10	
			16Y TO 150Y : -9.9		; DESIRABLE <10	
			MALE			
			No AGE : -9.9		; DESIRABLE <10	
			1D TO 15Y : -9.9		; DESIRABLE <10	
			16Y TO 150Y : -9.9		; DESIRABLE <10	
			FEMALE			
			No AGE : -9.9		; DESIRABLE <10	
			1D TO 15Y : -9.9		; DESIRABLE <10	
			16Y TO 150Y : -9.9		; DESIRABLE <10	
			- - - - -			
300240	5/24/2001		DEMOGRAPHICS			NEL
			TRANSPORT TEMP : REFRIG\FROZEN OK\AMBIENT OK			
			12070 STREET ADDRESS			
			- - - - -			
			12071 CITY			
			- - - - -			
			12076 STATE			
			- - - - -			
			12077 ZIP			
			- - - - -			
			12079 COUNTY			

- - - - -
12073 GUARDIAN FIRST NAME
- - - - -
12078 GUARDIAN LAST NAME
- - - - -
12072 HOME PHONE
- - - - -
12081 VENOUS/CAPILLARY
- - - - -
12082 RACE
- - - - -

*PERFORMING SITE LEGEND

=====
==
NEL MAYO MEDICAL LABORATORIES NEW ENGLAND LAB DIRECTOR: LYNN A. CHERYK, PH.D.
160 DASCOMB ROAD
ANDOVER, MA 01810
=====
==



LABORATORY SERVICE REPORT

1-800-533-1710

PATIENT NAME TESTING, K		PATIENT NUMBER		AGE 15	SEX M	ACCESSION # G9133368
ORDERING PHYSICIAN		CLIENT ORDER #				ACCOUNT # LIAISONS
COLLECTION 08/13/09 01:35 P	RECEIVED	REPORT PRINTED 08/13/09 02:33 P		SPECIMEN INFORMATION DATE OF BIRTH:		
DATE	TIME	DATE	TIME	DATE	TIME	
Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202						

TEST REQUESTED	HI LO	REF RANGE	PERFORM SITE *
----------------	----------	-----------	----------------

Lead, B

Lead, B	2	mcg/dL	Desirable <10	NEL
----------------	----------	---------------	-------------------------	------------

Worker exposure (OSHA): 0 - 40 mcg/dL
 Blood lead levels in the range of
 5-9 mcg/dL have been associated
 with adverse health effects in
 children aged 6 years and younger.

Demographics

Street Address	2ND STREET	NEL
City	ROCHESTER	NEL
State	MN	NEL
Zip	55901	NEL
County	OLMSTED	NEL
Guardian First Name	MOTHER	NEL
Guardian Last Name	MARY	NEL
Home Phone	999-999-9999	NEL
Venous/Capillary	Cap	NEL
Race	White	NEL

*** PERFORMING SITE**

NEL	Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810	Lab Director: Lynn A. Cheryk, Ph.D.
-----	---	-------------------------------------

PATIENT NAME TESTING, K	ORDER STATUS Final	COLLECTION DATE AND TIME 08/13/09 01:35 P
----------------------------	-----------------------	--

Specimen receipt and report times are in CST/CDT

REPRINT

Page 1 of 1