

REPORTING TITLE CHANGES

NOTIFICATION DATE: July 23, 2009

EFFECTIVE DATE: August 18, 2009

EXPLANATION: To make our test reporting names more logical for clinicians and others who are searching for a test name, these Microbiology tests will undergo a Reporting Title change.

| Unit Code | Current Reporting Title | New Reporting Title |
|------------------|-----------------------------------|---|
| 50009 | Culture, Brucella | Brucella Culture |
| 50011 | Culture, Anaerobic Actinomyces | Actinomyces Culture |
| 50001 | Culture, Aerobic Bacteria | Bacterial Culture, Aerobic |
| 50003 | Culture, Aerobic Bacteria, Sputum | Bacterial Culture, Aerobic, Respiratory |
| 50002 | Culture, Aerobic Bacteria, Throat | Bacterial Culture, Throat |
| 50004 | Culture, Aerobic Bacteria, Urine | Bacteria Culture, Aerobic, Urine |
| 50010 | Culture, Anaerobic Bacteria | Bacterial Culture, Anaerobic |
| 50005 | Culture, Enteric Pathogens, Stool | Enteric Pathogens Culture, Stool |
| 50008 | Culture, Legionella | Legionella Culture |
| 8135 | Culture for Beta Hemolytic Strep | Beta Hemolytic Strep Culture |
| 8116 | Culture, Gardnerella vaginalis | Gardnerella vaginalis Culture |
| 8192 | Culture, Ureaplasma urealyticum | Ureaplasma urealyticum Culture |

NOTE: Specimen requirements will not change for the above unit codes.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager
Jeremy Caddell, Mayo Medical Laboratories' Technical Support
Telephone: 800-533-1710



TEST DEFINITION

7/24/2009

| ORDER CODE | EFF DATE | TC | TITLE | CHECKING NORMALS | PRINT NORMALS (# CODED) | PERFORM SITE * |
|------------|-----------|-------|---|------------------|-------------------------|----------------|
| 8116 | 2/16/1999 | | GARDNERELLA VAGINALIS CULTURE | | | MCR |
| | | 17568 | TRANSPORT TEMP : AMBIENT\REFRIG OK\FROZEN NO SPECIMEN SOURCE | | | |
| | | 17887 | RESULT | | | |
| | | 17668 | SPECIAL INFORMATION | | | |
| | | 17768 | REPORT STATUS | | | |

*PERFORMING SITE LEGEND

=====
==
MCR MAYO CLINIC DPT OF LAB MED & PATHOLOGY
200 FIRST STREET SW
ROCHESTER, MN 55905

LAB DIRECTOR: FRANKLIN R. COCKERILL, III, M.D.

=====
==