

TEST SET-UP CHANGE

NOTIFICATION DATE: September 29, 2009

EFFECTIVE DATE: November 3, 2009

**COMPLEMENT, TOTAL, BODY FLUID
#8163**

EXPLANATION: Effective November 3rd, the test set-up will change for #8163 Complement, Total, Body Fluid. The test code referring to fluid type will be removed as this information is not required for the completion of testing. Please review the attached test set-up information and make the appropriate changes. The deleted test code will not affect performance of the test or pricing.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager
Brad Bellin, Mayo Medical Laboratories' Technologist Support
Telephone: 800-533-1710



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

9/28/2009

Code Name

 8163 Complement, Total, BF

**** End of Name to order code Report ****

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
8163	8/11/2009		Complement, Total, BF			MCR
			Transport temp : Frozen\Refrig NO\Ambient NO			
			8163 Complement, Total, BF			
			Expect results of form : Should be 1-3 digits			
			Possible result values include : >75,<3,Too low to quantitate			
			Units: U/mL			
			NO SEX			
			All Ages :		; No established normal value	
			MALE			
			All Ages :		; No established normal value	
			FEMALE			
			All Ages :		; No established normal value	
			- - - - -			
			2745 Protein, Total			
			Expect results of form : Input value cannot be an alpha character			
			Units: mg/mL			
			- - - - -			

*Performing Site Legend

```

=====
==
MCR      Mayo Clinic Dpt of Lab Med & Pathology      LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          200 First Street SW
          Rochester, MN 55905
=====

```

** End of Report ***

CODE	TEXT
-----	-----

Total of 0 normals codes

*** End of Report ***

1-800-533-1710

PATIENT NAME TESTING, CH50		PATIENT NUMBER		AGE 33	SEX F	ACCESSION # G9133258
ORDERING PHYSICIAN		CLIENT ORDER #				ACCOUNT # LIAISONS
COLLECTION 08/11/09 02:38 P DATE TIME	RECEIVED 08/11/09 02:38 P DATE TIME	REPORT PRINTED 09/28/09 04:27 P DATE TIME		SPECIMEN INFORMATION DATE OF BIRTH:		
Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202						

TEST REQUESTED	HI	LO	REF RANGE	PERFORM SITE *
Complement, Total, BF				
Complement, Total, BF		5	U/mL	No established normal value MCR
Protein, Total		150.0	mg/mL	MCR

* PERFORMING SITE

MCR Mayo Clinic Dpt of Lab Med & Pathology 200 First Street SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.
---	--

PATIENT NAME TESTING, CH50	ORDER STATUS Final	COLLECTION DATE AND TIME 08/11/09 02:38 P
--------------------------------------	------------------------------	---