

**MULTIPLE CHANGES**

**NOTIFICATION DATE:** September 22, 2009

**EFFECTIVE DATE:** October 27, 2009

**DESIPRAMINE, PLASMA**  
**#81854**

**EXPLANATION:** Effective October 27, 2009, multiple changes will occur to test #81854. Please see changes below. There will be no changes to the fee or CPT coding.

**CURRENT REPORTING NAME:** Desipramine, P

**NEW REPORTING NAME:** Desipramine, S

**CURRENT PUBLISHED NAME:** Desipramine, Plasma

**NEW PUBLISHED NAME:** Desipramine, Serum

**CURRENT SPECIMEN REQUIREMENT:** Draw blood in a lavender-top (EDTA) tube(s) 12 hours after last dose. **(Plasma gel tube is not acceptable.)** Spin down and send 3 mL of EDTA plasma refrigerated.

**NEW SPECIMEN REQUIREMENT:** Draw blood in a plain, red-top tube(s) 12 hours after last dose. **(Serum gel tube is not acceptable.)** Spin down and send 1 mL of serum refrigerated.

**CURRENT REFERENCE VALUES:** 75-225 ng/mL (Therapeutic concentration)  
>=500 ng/mL (Toxic concentration)

**NEW REFERENCE VALUES:** 100-300 ng/mL (Therapeutic concentration)  
>= 500 ng/mL (Toxic concentration)

**QUESTIONS:** Contact your Mayo Medical Laboratories' Regional Manager or  
Jim Nielsen, Mayo Medical Laboratories Technologist Support  
Telephone: 800-533-1710



# TEST DEFINITION

10/7/2009

Code Name  
-----

81854 Desipramine, S

\*\*\*\* End of Name to order code Report \*\*\*\*

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
81854	9/16/2009		Desipramine, S			MCR
			Transport temp : Refrig\Ambient OK\Frozen OK			
			81854 Desipramine, S			
			Expect results of form : Should be 2-4 Digit Number			
			Possible result values include : <20			
			Units: ng/mL			
			NO SEX			
			All Ages : 100-300		; #N81854B	
			MALE			
			All Ages : 100-300		; #N81854B	
			FEMALE			
			All Ages : 100-300		; #N81854B	

\*Performing Site Legend

```

=====
==
MCR      Mayo Clinic Dpt of Lab Med & Pathology      LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          200 First Street SW
          Rochester, MN 55905
=====
==

```

\*\*\* End of Report \*\*\*

MML

Messages used as normals

CODE	TEXT
N81854B	100-300 (Therapeutic concentration)
	>=500 (Toxic concentration)

Total of 1 normals codes

\*\*\* End of Report \*\*\*

1-800-533-1710

<b>PATIENT NAME</b> TESTING, 81854 IS		<b>PATIENT NUMBER</b>		<b>AGE</b> 35	<b>SEX</b> M	<b>ACCESSION #</b> G9134690
<b>ORDERING PHYSICIAN</b>		<b>CLIENT ORDER #</b>				<b>ACCOUNT #</b> LIAISONS
<b>COLLECTION</b> 09/14/09 05:47 P	<b>RECEIVED</b> 09/14/09 05:47 P	<b>REPORT PRINTED</b> 09/17/09 01:15 P		<b>SPECIMEN INFORMATION</b> DATE OF BIRTH:		
<b>DATE</b> <b>TIME</b>	<b>DATE</b> <b>TIME</b>	<b>DATE</b> <b>TIME</b>				
Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202						

TEST REQUESTED	HI	LO	REF RANGE	PERFORM SITE *
----------------	----	----	-----------	----------------

**Desipramine, S**

<b>Desipramine, S</b>	<b>200</b>	<b>ng/mL</b>	<b>MCR</b>
-----------------------	------------	--------------	------------

-- EXPECTED VALUES --

100-300 (Therapeutic concentration)

&gt;=500 (Toxic concentration)

Analytical interference: sertraline may cause falsely low results.

## \* PERFORMING SITE

MCR	Mayo Clinic Dpt of Lab Med & Pathology 200 First Street SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

<b>PATIENT NAME</b> TESTING, 81854 IS	<b>ORDER STATUS</b> Final	<b>COLLECTION DATE AND TIME</b> 09/14/09 05:47 P
--	------------------------------	---