

REPORTING CHANGE

NOTIFICATION DATE: July 28, 2009

EFFECTIVE DATE: August 27, 2009

MUMPS IGG SCREEN, SERUM
#82431

EXPLANATION: A reporting field will be added to the file definition of this test. The new field will contain the numerical index value.

NOTE: This will require file definition changes. The specimen requirements, reference values and fee will not change.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager
Kim J. Baker, Mayo Medical Laboratories' Technologist Support
Telephone: 800-533-1710



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

7/28/2009

Code Name

 82431 Mumps IgG Screen, S

**** End of Name to order code Report ****

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
82431	11/19/2003		Mumps IgG Screen, S			MCR
			Transport temp : Refrig\Frozen OK\Ambient NO			
			82431 Mumps IgG Screen			
			Possible result values include : Equivocal,Negative,Positive,Equivocal			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
			- - - - -			
			31061	Index Value		
			Possible result values include : Equivocal,Negative,Positive,Equivocal			
			- - - - -			

*Performing Site Legend

```

=====
==
MCR      Mayo Clinic Dpt of Lab Med & Pathology      LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          200 First Street SW
          Rochester, MN 55905
=====
==

```

*** End of Report ***

MML


Messages used as normals

CODE

TEXT

Total of 0 normals codes

*** End of Report ***



LABORATORY SERVICE REPORT

1-800-533-1710

PATIENT NAME TESTING, TEST		PATIENT NUMBER		AGE 50	SEX M	ACCESSION # G9132784
ORDERING PHYSICIAN		CLIENT ORDER #				ACCOUNT # LIAISONS
COLLECTION 07/28/09 02:15 P	RECEIVED 07/28/09 02:15 P	REPORT PRINTED 07/28/09 02:48 P		SPECIMEN INFORMATION DATE OF BIRTH:		
DATE	TIME	DATE	TIME			
Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202						

TEST REQUESTED	HI LO	REF RANGE	PERFORM SITE *
Mumps IgG Screen, S			
Mumps IgG Screen	Equivocal	Negative	MCR
If clinically indicated, recommend follow-up testing in 10-14 days to demonstrate seroconversion of IgG.			
Index Value	0.92		MCR

* PERFORMING SITE

MCR	Mayo Clinic Dpt of Lab Med & Pathology 200 First Street SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

PATIENT NAME TESTING, TEST	ORDER STATUS Final	COLLECTION DATE AND TIME 07/28/09 02:15 P
-------------------------------	-----------------------	--

Specimen receipt and report times are in CST/CDT

REPRINT

Page 1 of 1