

**TEST OBSOLETE****NOTIFICATION DATE:** May 21, 2009**EFFECTIVE DATE:** Immediately**ASPERGILLUS (GALACTOMANNAN) ANTIGEN, SERUM  
#84356**

**EXPLANATION:** Due to reagent issues, this test will become obsolete immediately. All specimens received for this test will be changed to #91938 Platelia® *Aspergillus* EIA and forwarded to MiraVista Diagnostics.

**RECOMMENDED ALTERNATIVE TEST:** #91938 Platelia® *Aspergillus* EIA to MiraVista Diagnostics.

**METHODOLOGY:** EIA (enzyme immunoassay)

**REFERENCE VALUES:** <0.5

**SPECIMEN REQUIREMENTS:** Draw blood in a plain, red-top tube(s). (Serum gel tube is acceptable.) Spin down and send 2.0 mL serum in original vacutainer refrigerated.

Unopened specimens may be stored at 2-8°C for up to 5 days prior to testing or for only 48 hours if they have been opened. Longer storage requires freezing at -70°C. Unless indicated as stored frozen, samples that are older than 5 days when received at MiraVista Diagnostic's laboratory will be considered unacceptable for testing.

**CPT CODE:** 87305

**LIST FEE:** \$109.00

**DAY(S) SET UP:** Monday through Friday

**ANALYTIC TIME:** 1 day

**QUESTIONS:** Contact your Mayo Medical Laboratories' Regional Manager  
Kim J. Baker, Mayo Medical Laboratories' Technologist Support  
Telephone: 800-533-1710

## TEST DEFINITION

5/21/2009

Code    Name  
-----  
91938    Platelia Aspergillus Antigen

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
91938	5/21/2009		Platelia Aspergillus Antigen			
			Transport temp : Refrig 5 days\Frozen OK\Ambient NO			
		25006	Source			
		25007	Index			
			TEST CODE ALWAYS MESSAGE - [Z25007]			
		Z25007	Result Interpretation			

Sera with an index > or = 0.5 are considered to be positive.

A positive result for patients being treated with some medications, such as Piperacillin tazobactam or infection with certain other mycoses may be a false positive and should be viewed in conjunction with all clinical findings.

Specimen types other than those approved by the FDA for the Platelia Aspergillus Antigen EIA kit such as Bronchial lavage and CSF specimens are tested for research purposes only.

The Platelia Aspergillus EIA is a kit for the detection of Aspergillus galactomannan antigen in serum by enzyme immunoassay. This assay is to be used and test results interpreted in conjunction with other conventional diagnostic procedures such as microbiological culture, histologic examination of biopsy samples and other signs and symptoms for detection of Aspergillus infection.

Test Performed by: MiraVista Diagnostics  
4444 Decatur Blvd  
Suite 300  
Indianapolis, IN 46241

-----  
\*Performing Site Legend

=====  
==

=====  
==

CODE            TEXT  
-----

Total of 0 normals codes

\*\*\* End of Report \*\*\*



LABORATORY SERVICE REPORT

1-800-533-1710

PATIENT NAME TESTING, 91938		PATIENT NUMBER		AGE 45	SEX F	ACCESSION # G9127560
ORDERING PHYSICIAN		CLIENT ORDER #				ACCOUNT # LIAISONS
COLLECTION 05/21/09 02:41 P	RECEIVED 05/21/09 02:41 P	REPORT PRINTED 05/21/09 03:15 P		SPECIMEN INFORMATION DATE OF BIRTH:		
<b>DATE</b>	<b>TIME</b>	<b>DATE</b>	<b>TIME</b>			
Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202						

TEST REQUESTED	HI LO	REF RANGE	PERFORM SITE *
----------------	----------	-----------	----------------

**Platelia Aspergillus Antigen**

Source Index	Serum 0.4	REF REF
-----------------	--------------	------------

**Result Interpretation**

Sera with an index <0.5 are considered to be negative  
 Sera with an index > or = 0.5 are considered to be positive.  
 A positive result for patients being treated with some medications, such as Piperacillin tazobactam or infection with certain other mycoses may be a false positive and should be viewed in conjunction with all clinical findings. Specimen types other than those approved by the FDA for the Platelia Aspergillus Antigen EIA kit such as Bronchial lavage and CSF specimens are tested for research purposes only.

The Platelia Aspergillus EIA is a kit for the detection of Aspergillus galactomannan antigen in serum by enzyme immunoassay. This assay is to be used and test results interpreted in conjunction with other conventional diagnostic procedures such as microbiological culture, histologic examination of biopsy samples and other signs and symptoms for detection of Aspergillus infection.

Test Performed by: MiraVista Diagnostics  
 4444 Decatur Blvd  
 Suite 300  
 Indianapolis, IN 46241

\* PERFORMING SITE

PATIENT NAME TESTING, 91938	ORDER STATUS Final	COLLECTION DATE AND TIME 05/21/09 02:41 P
--------------------------------	-----------------------	--

Specimen receipt and report times are in CST/CDT

REPRINT

Page 1 of 1