

## **REPORTING CHANGE**

**NOTIFICATION DATE:** September 30, 2009

**EFFECTIVE DATE:** November 2, 2009

### **CADMIUM, URINE #8678**

**EXPLANATION:** Effective November 2, 2009, a reporting units change will take place on test #8678. 24 hour specimens are the preferred specimen collection. Random collections will be reported as mcg/L.

There will be no changes to the reference values, fee or CPT coding.

**CURRENT REPORTING UNITS:** ug/spec

**NEW REPORTING UNITS:** mcg/spec

**QUESTIONS:** Contact your Mayo Medical Laboratories' Regional Manager or  
Jim Nielsen, Mayo Medical Laboratories' Technologist Support  
Telephone: 800-533-1710

# TEST DEFINITION

9/30/2009

MML NAME/ORDER CODE CROSS-REFERENCE  
 CODE NAME  
 -----  
 8678 CADMIUM, U

MML MML TEST SETUP INFORMATION

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
8678	8/5/2009		CADMIUM, U			SDL
			TRANSPORT TEMP : REFRIG\FROZEN OK\AMBIENT NO			
			31106 CADMIUM, U			
			POSSIBLE RESULT VALUES INCLUDE : <0.2			
			UNITS: MCG/SPEC			
			NO SEX			
			No AGE :		; <3.0 (>=16 Y)	
			1D TO 15Y :		; <3.0 (>=16 Y)	
			16Y TO 150Y : 0.0-2.9		; <3.0	
			MALE			
			No AGE :		; <3.0 (>=16 Y)	
			1D TO 15Y :		; <3.0 (>=16 Y)	
			16Y TO 150Y : 0.0-2.9		; <3.0	
			FEMALE			
			No AGE :		; <3.0 (>=16 Y)	
			1D TO 15Y :		; <3.0 (>=16 Y)	
			16Y TO 150Y : 0.0-2.9		; <3.0	
			- - - - -			
			31076 COLLECTION DURATION			
			POSSIBLE RESULT VALUES INCLUDE : 24,RANDOM,RANDOM			
			UNITS: H			
			- - - - -			
			31077 TOTAL VOLUME			
			UNITS: ML			
			- - - - -			
			31075 Cd CONC			
			POSSIBLE RESULT VALUES INCLUDE : <0.2			
			UNITS: MCG/L			
			TEST CODE ALWAYS MESSAGE - [Z24HN]			
			Z24HN SPECIMENS COLLECTED FOR OTHER THAN A 24-HOUR			
			TIME PERIOD ARE REPORTED IN UNITS OF MCG/L,			
			FOR WHICH REFERENCE VALUES ARE NOT ESTABLISHED.			

- - - - -  
-----

MML TEST SETUP INFORMATION

\*PERFORMING SITE LEGEND

=====  
SDL MAYO CLINIC DPT OF LAB MED & PATHOLOGY LAB DIRECTOR: FRANKLIN R. COCKERILL, III, M.D.  
SUPERIOR DR.  
3050 SUPERIOR DR. NW  
ROCHESTER, MN 55901  
=====

MML MESSAGES USED AS NORMALS

CODE TEXT  
-----

TOTAL OF 0 NORMALS CODES

\*\*\* END OF REPORT \*\*\*

1-800-533-1710

<b>PATIENT NAME</b> TESTING, DIANNA		<b>PATIENT NUMBER</b>		<b>AGE</b> 59	<b>SEX</b> F	<b>ACCESSION #</b> G9134248
<b>ORDERING PHYSICIAN</b>		<b>CLIENT ORDER #</b>				<b>ACCOUNT #</b> LIAISONS
<b>COLLECTION</b> 08/31/09 03:19 P <b>DATE TIME</b>	<b>RECEIVED</b> 08/31/09 03:19 P <b>DATE TIME</b>	<b>REPORT PRINTED</b> 09/30/09 01:27 P <b>DATE TIME</b>		<b>SPECIMEN INFORMATION</b> DATE OF BIRTH:		
Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202						

TEST REQUESTED	HI	LO	REF RANGE	PERFORM SITE *	
<b>Cadmium, U</b>					
Cadmium, U	H	3.0	mcg/spec	<3.0	SDL
Collection Duration		24	h		SDL
Total Volume		1000	mL		SDL
Cd Conc		3.0	mcg/L		SDL

Specimens collected for other than a 24-hour time period are reported in units of mcg/L, for which reference values are not established.

## \* PERFORMING SITE

SDL	Mayo Clinic Dpt of Lab Med & Pathology Superior Dr 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
-----	--	--

<b>PATIENT NAME</b> TESTING, DIANNA	<b>ORDER STATUS</b> Final	<b>COLLECTION DATE AND TIME</b> 08/31/09 03:19 P
--	------------------------------	---