



**MAYO CLINIC**  
Mayo Medical Laboratories

1-800-533-1710

**REFERRAL NEW ORDERABLE  
UNIT CODE**

**NOTIFICATION DATE:** June 23, 2009

**EFFECTIVE DATE:** Immediately

**RABIES ANTIBODY TITER CHECK (ENDPOINT)  
#90330**

**EXPLANATION OF CHANGE:** The following new orderable, referred to K-State Rabies Laboratory, is available immediately.

**PREVIOUS ORDER CODE:** Misc. 90530

**SPECIMEN REQUIREMENTS:** Draw blood in a plain, red-top tube(s) or an SST tube(s). Spin down and send 2 mL of serum refrigerated plastic screw capped vial.

**LIST FEE:** \$62.00

**CPT CODE:** 86382

**DAY(S) SET UP:**  
Monday, Thursday

**ANALYTIC TIME:**  
9-12 days

**QUESTIONS:** Contact Mayo Medical Laboratories  
Telephone: 800-533-1710



MAYO CLINIC  
Mayo Medical Laboratories

# TEST DEFINITION

6/23/2009

Code Name  
-----  
90330 Rapid Fluorescent Focus Inhib Test

\*\*\*\* End of Name to order code Report \*\*\*\*

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
90330	6/22/2009		Rapid Fluorescent Focus Inhib Test			
			Transport temp : Refrig 2 weeks\Frozen 2 months\Ambient OK			
		90330	Rabies Titer-Response			
			TEST CODE ALWAYS MESSAGE - [Z90330]			
		Z90330	In humans, a titer of 1:5 or greater is considered acceptable as per ACIP.			
			Test Performed by: RFFIT/K-State Rabies Laboratory Manhattan/K-State Innovation Center 2005 Research Park Circle Manhattan, KS 66502			

\*Performing Site Legend

=====  
==  
=====  
==

\*\*\* End of Report \*\*\*

MML Messages used as normals

CODE TEXT

-----  
-----  
Total of 0 normals codes

\*\*\* End of Report \*\*\*



## LABORATORY SERVICE REPORT

1-800-533-1710

PATIENT NAME TESTING, 90330		PATIENT NUMBER		AGE 49	SEX F	ACCESSION # G9130010
ORDERING PHYSICIAN		CLIENT ORDER #				ACCOUNT # LIAISONS
COLLECTION 06/23/09 12:00 P	RECEIVED 06/23/09 12:00 P	REPORT PRINTED 06/23/09 01:23 P		SPECIMEN INFORMATION DATE OF BIRTH: 6/21/1960		
<b>DATE</b>	<b>TIME</b>	<b>DATE</b>	<b>TIME</b>			
Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202						

TEST REQUESTED	HI LO	REF RANGE	PERFORM SITE *
----------------	----------	-----------	----------------

**Rapid Fluorescent Focus Inhib Test****Rabies Titer-Response****1:260****REF**

In humans, a titer of 1:5 or greater is considered acceptable as per ACIP.

Test Performed by: RFFIT/K-State Rabies Laboratory  
 Manhattan/K-State Innovation Center  
 2005 Research Park Circle  
 Manhattan, KS 66502

\* PERFORMING SITE

PATIENT NAME TESTING, 90330	ORDER STATUS Final	COLLECTION DATE AND TIME 06/23/09 12:00 P
--------------------------------	-----------------------	--

Specimen receipt and report times are in CST/CDT

REPRINT

Page 1 of 1