



MAYO CLINIC
Mayo Medical Laboratories

1-800-533-1710

REFERRAL TEST UPDATE

NOTIFICATION DATE: May 19, 2009

EFFECTIVE DATE: Immediately

**HIV-2 DNA/RNA, QUALITATIVE, REAL-TIME PCR
#91490**

EXPLANATION OF CHANGE: Effective immediately, Unit Code 91490, HIV-2 DNA/RNA, Qualitative, referred to Focus Diagnostics will be updated to reflect the removal of *Proviral* in the reporting title from both the test parameter and order code.

	CURRENT	NEW
Reporting Title:	HIV-2 Proviral DNA, Qual, RT-PCR	HIV-2 DNA/RNA Qualitative RT-PCR

QUESTIONS: Contact Mayo Medical Laboratories
Telephone: 800-533-1710



MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

5/19/2009

CODE NAME

91490 HIV-2 DNA/RNA QUALITATIVE RT-PCR

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PERFORM PRINT NORMALS (# CODED)	SITE *
91490	5/18/2009		HIV-2 DNA/RNA QUALITATIVE RT-PCR			
			UNIT CODE ALWAYS MESSAGE - [ZFOCUSD]			
			TEST PERFORMED BY: FOCUS DIAGNOSTICS, INC.			
			5785 CORPORATE AVENUE			
			CYPRESS, CA 90630-4750			
			MEDICAL DIRECTOR, ALFRED LUI, MD			
			TRANSPORT TEMP : REFRIG 7 DAYS\FROZEN NO\AMBIENT NO			
			91490	HIV-2 DNA/RNA		

*PERFORMING SITE LEGEND

=====
==
=====
==