

MULTIPLE CHANGES

NOTIFICATION DATE: September 22, 2009

EFFECTIVE DATE: October 27, 2009

**DOXEPIN AND NORDOXEPIN, PLASMA
#9301**

EXPLANATION: Effective October 27, 2009, multiple changes will occur to test #9301. Please see changes below. There will be no changes to the fee or CPT coding.

CURRENT REPORTING NAME: Doxepin and Nordoxepin, P

NEW REPORTING NAME: Doxepin and Nordoxepin, S

CURRENT PUBLISHED NAME: Doxepin and Nordoxepin, Plasma

NEW PUBLISHED NAME: Doxepin and Nordoxepin, Serum

CURRENT SPECIMEN REQUIREMENT: Draw blood in lavender-top (EDTA) tube(s) 12 hours after last dose. **(Plasma gel tube is not acceptable.)** Spin down and send 3 mL of EDTA plasma refrigerated.

NEW SPECIMEN REQUIREMENT: Draw blood in a plain, red-top tube(s) 12 hours after last dose. **(Serum gel tube is not acceptable.)** Spin down and send 3 mL of serum refrigerated

CURRENT REFERENCE VALUES: 100-275 (Total therapeutic concentration)

>=500 (Total toxic concentration)

NEW REFERENCE VALUES: 50-150 (Total therapeutic concentration)

>=500 (Total toxic concentration)

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager or
Jim Nielsen, Mayo Medical Laboratories Technologist Support
Telephone: 800-533-1710

TEST DEFINITION

10/7/2009

Code Name

9301 Doxepin and Nordoxepin, S

**** End of Name to order code Report ****

MML MML Test setup information

| ORDER CODE | EFF DATE | TC | TITLE | Checking Normals | Print normals (# coded) | Perform Site * |
|------------|-----------|----|--|------------------|-------------------------|----------------|
| 9301 | 9/16/2009 | | Doxepin and Nordoxepin, S | | | MCR |
| | | | Transport temp : Refrig\Ambient OK\Frozen OK | | | |
| | | | 9301 Doxepin | | | |
| | | | Possible result values include : <20 | | | |
| | | | Units: ng/mL | | | |
| | | | NO SEX | | | |
| | | | All Ages : | | ; Not defined | |
| | | | MALE | | | |
| | | | All Ages : | | ; Not defined | |
| | | | FEMALE | | | |
| | | | All Ages : | | ; Not defined | |
| | | | ----- | | | |
| | | | 2464 Nordoxepin | | | |
| | | | Possible result values include : <20 | | | |
| | | | Units: ng/mL | | | |
| | | | NO SEX | | | |
| | | | All Ages : | | ; Not defined | |
| | | | MALE | | | |
| | | | All Ages : | | ; Not defined | |
| | | | FEMALE | | | |
| | | | All Ages : | | ; Not defined | |
| | | | ----- | | | |
| | | | 2470 Doxepin and Nordoxepin | | | |
| | | | Possible result values include : <20 | | | |
| | | | Units: ng/mL | | | |
| | | | NO SEX | | | |
| | | | All Ages : | | ; #N2470NA | |

(continued next page)

MML MML Test setup information

| ORDER CODE | EFF DATE | TC | TITLE | Checking Normals | Print normals (# coded) | Perform Site * |
|---------------|-------------|------|------------------------------------|-------------------|-------------------------|-------------------|
| 9301 | (continued) | | | | | |
| | | 2470 | Doxepin and Nordoxepin (continued) | | | |
| | | | MALE | All Ages : 50-150 | ; #N2470NA | |
| | | | FEMALE | All Ages : 50-150 | ; #N2470NA | |

*Performing Site Legend

```

=====
==
MCR      Mayo Clinic Dpt of Lab Med & Pathology      LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          200 First Street SW
          Rochester, MN 55905
=====
==

```

*** End of Report ***

MML Messages used as normals

| CODE | TEXT |
|---------|--|
| N2470NA | 50-150 (Total therapeutic concentration) |
| | >=500 (Total toxic concentration) |

Total of 1 normals codes

*** End of Report ***

1-800-533-1710

| | | | | | | |
|--|---|---|--|---|-----------------|--------------------------------|
| PATIENT NAME TESTING, 9301 IS | | PATIENT NUMBER | | AGE 39 | SEX F | ACCESSION # G9134652 |
| ORDERING PHYSICIAN | | CLIENT ORDER # | | | | ACCOUNT # LIAISONS |
| COLLECTION 09/12/09 03:02 P DATE TIME | RECEIVED 09/12/09 03:02 P DATE TIME | REPORT PRINTED 09/17/09 12:23 P DATE TIME | | SPECIMEN INFORMATION DATE OF BIRTH: | | |
| Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202 | | | | | | |

| TEST REQUESTED | HI | LO | REF RANGE | PERFORM SITE * |
|----------------|----|----|-----------|----------------|
|----------------|----|----|-----------|----------------|

Doxepin and Nordoxepin, S

| | | | | |
|--|------------|--------------|--------------------|------------|
| Doxepin | 20 | ng/mL | Not defined | MCR |
| Analytical interferences: sertraline may cause falsely low results, and venlafaxine, diphenhydramine, chlorpromazine, promazine, ethopropazine or amlodipine may cause false elevations. | | | | |
| Nordoxepin | 100 | ng/mL | Not defined | MCR |
| Analytical interference: sertraline may cause falsely low results. | | | | |
| Doxepin and Nordoxepin | 120 | ng/mL | | MCR |
| -- EXPECTED VALUES -- | | | | |
| 50-150 (Total therapeutic concentration) | | | | |
| >=500 (Total toxic concentration) | | | | |

* PERFORMING SITE

| | | |
|-----|---|--|
| MCR | Mayo Clinic Dpt of Lab Med & Pathology 200 First Street SW Rochester, MN 55905 | Lab Director: Franklin R. Cockerill, III, M.D. |
|-----|---|--|

| | | |
|---|------------------------------|---|
| PATIENT NAME TESTING, 9301 IS | ORDER STATUS Final | COLLECTION DATE AND TIME 09/12/09 03:02 P |
|---|------------------------------|---|