

EXPLANATION OF CHANGE: We have been notified by IBT Laboratories that effective immediately they will no longer report the Flag/Class value. We are therefore removing this reportable from the file definition for the following unit codes. IBT has indicated that they will report a quantitative value with associated reference range. High values will be flagged. The following MML unit code(s), referred to IBT, will be adjusted.

UNIT CODE	TEST NAME
91646	Bean Green/String IgG
91647	Casein IgG
91648	Corn IgG
91649	Gluten IgG
91650	Shrimp IgG
91651	Soybean IgG
91652	Wheat IgG

QUESTIONS: Contact Mayo Medical Laboratories
Telephone: 800-533-1710

TEST DEFINITION

6/9/2009

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PERFORM PRINT NORMALS (# CODED)	SITE *
91647	6/8/2009		CASEIN IgG			
			TRANSPORT TEMP : REFRIG\AMBIENT OK\FROZEN OK			
		91647	CASEIN IgG			
			UNITS: MCG/ML			
			NO SEX			
			ALL AGES : 0.0-5.69		; <5.7	
			MALE			
			ALL AGES : 0.0-5.69		; <5.7	
			FEMALE			
			ALL AGES : 0.0-5.69		; <5.7	
			TEST CODE ALWAYS MESSAGE - [ZIBTA]			
			ZIBTA THE REFERENCE RANGE REPORTED IS THE TWO STANDARD DEVIATION UPPER LIMIT FOR A POPULATION OF NORMAL HEALTHY INDIVIDUALS. VALUES ABOVE THIS THRESHOLD INDICATE THAT THE PATIENT'S ANTIBODY RESPONSE IS HIGH RELATIVE TO A REFERENCE POPULATION. SINCE ELEVATED VALUES MAY BE OBSERVED IN ASYMPTOMATIC INDIVIDUALS, THE CLINICAL SIGNIFICANCE OF THESE VALUES SHOULD BE INTERPRETED WITH CAUTION.			
			THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY IBT REFERENCE LAB. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA.			
			TEST PERFORMED BY: IBT REFERENCE LABORATORY 11274 RENNER BOULEVARD LENEXA, KS 66219			

MML MML TEST SETUP INFORMATION

*PERFORMING SITE LEGEND

*** END OF REPORT ***

TEST DEFINITION

6/9/2009

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
91648	6/8/2009		CORN IGG			
			TRANSPORT TEMP : REFRIG\AMBIENT OK\FROZEN OK			
		91648	CORN IGG			
			UNITS: MCG/ML			
			NO SEX			
			ALL AGES : 0.0-2.69		; <2.7	
			MALE			
			ALL AGES : 0.0-2.69		; <2.7	
			FEMALE			
			ALL AGES : 0.0-2.69		; <2.7	
			TEST CODE ALWAYS MESSAGE - [ZIBTA]			
			ZIBTA THE REFERENCE RANGE REPORTED IS THE TWO STANDARD DEVIATION UPPER LIMIT FOR A POPULATION OF NORMAL HEALTHY INDIVIDUALS. VALUES ABOVE THIS THRESHOLD INDICATE THAT THE PATIENT'S ANTIBODY RESPONSE IS HIGH RELATIVE TO A REFERENCE POPULATION. SINCE ELEVATED VALUES MAY BE OBSERVED IN ASYMPTOMATIC INDIVIDUALS, THE CLINICAL SIGNIFICANCE OF THESE VALUES SHOULD BE INTERPRETED WITH CAUTION.			
			THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY IBT REFERENCE LAB. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA.			
			TEST PERFORMED BY: IBT REFERENCE LABORATORY 11274 RENNER BLVD. LENEXA, KS 66219			

*PERFORMING SITE LEGEND
*** END OF REPORT ***

MML MESSAGES USED AS NORMALS

CODE	TEXT
-----	-----

TOTAL OF 0 NORMALS CODES

*** END OF REPORT ***

TEST DEFINITION

6/9/2009

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
91649	6/8/2009		GLUTEN IgG			
			TRANSPORT TEMP : REFRIG\AMBIENT OK\FROZEN OK			
		91649	GLUTEN IgG			
			UNITS: MCG/ML			
			NO SEX			
			ALL AGES : 0.0-7.49		; <7.5	
			MALE			
			ALL AGES : 0.0-7.49		; <7.5	
			FEMALE			
			ALL AGES : 0.0-7.49		; <7.5	
			TEST CODE ALWAYS MESSAGE - [ZIBTA]			
			ZIBTA THE REFERENCE RANGE REPORTED IS THE TWO STANDARD DEVIATION UPPER LIMIT FOR A POPULATION OF NORMAL HEALTHY INDIVIDUALS. VALUES ABOVE THIS THRESHOLD INDICATE THAT THE PATIENT'S ANTIBODY RESPONSE IS HIGH RELATIVE TO A REFERENCE POPULATION. SINCE ELEVATED VALUES MAY BE OBSERVED IN ASYMPTOMATIC INDIVIDUALS, THE CLINICAL SIGNIFICANCE OF THESE VALUES SHOULD BE INTERPRETED WITH CAUTION.			
			THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY IBT REFERENCE LAB. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA.			
			TEST PERFORMED BY: IBT REFERENCE LABORATORY 11274 RENNER BLVD. LENEXA, KS 66219			

*PERFORMING SITE LEGEND

*** END OF REPORT ***

MML	PM	CODE	TEXT	MESSAGES USED AS NORMALS

TOTAL OF 0 NORMALS CODES

*** END OF REPORT ***

TEST DEFINITION

6/9/2009

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
91650	6/8/2009		SHRIMP IgG			
			TRANSPORT TEMP : REFRIG\AMBIENT OK\FROZEN OK			
		91650	SHRIMP IgG			
			UNITS: MCG/ML			
			NO SEX			
			ALL AGES : 0.0-3.49		; <3.5	
			MALE			
			ALL AGES : 0.0-3.49		; <3.5	
			FEMALE			
			ALL AGES : 0.0-3.49		; <3.5	
			TEST CODE ALWAYS MESSAGE - [ZIBTA]			
			ZIBTA THE REFERENCE RANGE REPORTED IS THE TWO STANDARD DEVIATION UPPER LIMIT FOR A POPULATION OF NORMAL HEALTHY INDIVIDUALS. VALUES ABOVE THIS THRESHOLD INDICATE THAT THE PATIENT'S ANTIBODY RESPONSE IS HIGH RELATIVE TO A REFERENCE POPULATION. SINCE ELEVATED VALUES MAY BE OBSERVED IN ASYMPTOMATIC INDIVIDUALS, THE CLINICAL SIGNIFICANCE OF THESE VALUES SHOULD BE INTERPRETED WITH CAUTION.			
			THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY IBT REFERENCE LAB. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA.			
			TEST PERFORMED BY: IBT REFERENCE LABORATORY 11274 RENNER BLVD. LENEXA, KS 66219			

*PERFORMING SITE LEGEND

MML MESSAGES USED AS NORMALS

CODE TEXT

TOTAL OF 0 NORMALS CODE
*** END OF REPORT ***

TEST DEFINITION

6/9/2009

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
91651	6/8/2009		SOYBEAN IGG			
			TRANSPORT TEMP : REFRIG\AMBIENT OK\FROZEN OK			
		91651	SOYBEAN IGG			
			UNITS: MCG/ML			
			NO SEX			
			ALL AGES : 0.0-3.79		; <3.8	
			MALE			
			ALL AGES : 0.0-3.79		; <3.8	
			FEMALE			
			ALL AGES : 0.0-3.79		; <3.8	

TEST CODE ALWAYS MESSAGE - [ZIBTA]

ZIBTA THE REFERENCE RANGE REPORTED IS THE TWO STANDARD DEVIATION UPPER LIMIT FOR A POPULATION OF NORMAL HEALTHY INDIVIDUALS. VALUES ABOVE THIS THRESHOLD INDICATE THAT THE PATIENT'S ANTIBODY RESPONSE IS HIGH RELATIVE TO A REFERENCE POPULATION. SINCE ELEVATED VALUES MAY BE OBSERVED IN ASYMPTOMATIC INDIVIDUALS, THE CLINICAL SIGNIFICANCE OF THESE VALUES SHOULD BE INTERPRETED WITH CAUTION.

THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY IBT REFERENCE LAB. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA.

TEST PERFORMED BY: IBT REFERENCE LABORATORY
 11274 RENNER BLVD.
 LENEXA, KS 6621

*PERFORMING SITE LEGEND

=====

MML MESSAGES USED AS NORMALS

CODE	TEXT
-----	-----

TOTAL OF 0 NORMALS CODES

*** END OF REPORT ***



TEST DEFINITION

6/9/2009

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
91652	6/8/2009		WHEAT IGG			
			TRANSPORT TEMP : REFRIG\AMBIENT OK\FROZEN OK			
		91652	WHEAT IGG			
			UNITS: MCG/ML			
			NO SEX			
			ALL AGES : 0.0-15.0		; <15.1	
			MALE			
			ALL AGES : 0.0-15.0		; <15.1	
			FEMALE			
			ALL AGES : 0.0-15.0		; <15.1	

TEST CODE ALWAYS MESSAGE - [ZIBTA]

ZIBTA THE REFERENCE RANGE REPORTED IS THE TWO STANDARD DEVIATION UPPER LIMIT FOR A POPULATION OF NORMAL HEALTHY INDIVIDUALS. VALUES ABOVE THIS THRESHOLD INDICATE THAT THE PATIENT'S ANTIBODY RESPONSE IS HIGH RELATIVE TO A REFERENCE POPULATION. SINCE ELEVATED VALUES MAY BE OBSERVED IN ASYMPTOMATIC INDIVIDUALS, THE CLINICAL SIGNIFICANCE OF THESE VALUES SHOULD BE INTERPRETED WITH CAUTION.

THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY IBT REFERENCE LAB. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA.

TEST PERFORMED BY: IBT REFERENCE LABORATORY
11274 RENNER BLVD.
LENEXA, KS 66219

MML MML TEST SETUP INFORMATION

*PERFORMING SITE LEGEND

=====

MML MESSAGES USED AS NORMALS

CODE	TEXT
-----	-----

TOTAL OF 0 NORMALS CODES

*** END OF REPORT ***

TEST DEFINITION

6/9/2009

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
91646	6/8/2009		BEAN GREEN/STRING IGG			
			TRANSPORT TEMP : REFRIG\AMBIENT OK\FROZEN OK			
		91646	BEAN GREEN/STRING IGG			
			UNITS: MCG/ML			
			NO SEX			
			ALL AGES : 0.0-4.39		; <4.4	
			MALE			
			ALL AGES : 0.0-4.39		; <4.4	
			FEMALE			
			ALL AGES : 0.0-4.39		; <4.4	
			TEST CODE ALWAYS MESSAGE - [ZIBTA]			
			ZIBTA THE REFERENCE RANGE REPORTED IS THE TWO STANDARD DEVIATION UPPER LIMIT FOR A POPULATION OF NORMAL HEALTHY INDIVIDUALS. VALUES ABOVE THIS THRESHOLD INDICATE THAT THE PATIENT'S ANTIBODY RESPONSE IS HIGH RELATIVE TO A REFERENCE POPULATION. SINCE ELEVATED VALUES MAY BE OBSERVED IN ASYMPTOMATIC INDIVIDUALS, THE CLINICAL SIGNIFICANCE OF THESE VALUES SHOULD BE INTERPRETED WITH CAUTION.			
			THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY IBT REFERENCE LAB. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA.			
			TEST PERFORMED BY: IBT REFERENCE LABORATORY 11274 RENNER BOULEVARD LENEXA, KS 66219			

MML MML TEST SETUP INFORMATION

*PERFORMING SITE LEGEND

*** END OF REPORT ***



LABORATORY SERVICE REPORT

1-800-533-1710

PATIENT NAME TESTING, 91648		PATIENT NUMBER		AGE 48	SEX F	ACCESSION # W1558908
ORDERING PHYSICIAN		CLIENT ORDER #				ACCOUNT # LIAISONS
COLLECTION 06/09/09 09:40 A	RECEIVED 06/09/09 09:40 A	REPORT PRINTED 06/09/09 01:41 P		SPECIMEN INFORMATION DATE OF BIRTH: 6/21/1960		
DATE	TIME	DATE	TIME			
Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202						

TEST REQUESTED	HI LO	REF RANGE	PERFORM SITE *
----------------	----------	-----------	----------------

Corn IgG

Corn IgG	H	2.7	mcg/mL	<2.7	REF
----------	---	-----	--------	------	-----

The reference range reported is the two standard deviation upper limit for a population of normal healthy individuals. Values above this threshold indicate that the patient's antibody response is high relative to a reference population. Since elevated values may be observed in asymptomatic individuals, the clinical significance of these values should be interpreted with caution. This test was developed and its performance characteristics determined by IBT Reference Lab. It has not been cleared or approved by the FDA.

Test Performed by: IBT Reference Laboratory
 11274 Renner Blvd.
 Lenexa, KS 66219

* PERFORMING SITE

PATIENT NAME TESTING, 91648	ORDER STATUS Final	COLLECTION DATE AND TIME 06/09/09 09:40 A
--------------------------------	-----------------------	----------------------------------------------

Specimen receipt and report times are in CST/CDT

REPRINT

Page 1 of 1