Test Definition: FPNAP

Pneumococcal Antibody Panel (12 Serotype)

Reporting Title: Pneumococcal Ab Panel (12 Serotype)
Performing Location: Viracor-IBT Laboratories

Specimen Requirements:

Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 0.5mL of serum refrigerated in a plastic vial.

Specimen Type	Temperature	Time
Serum	Refrigerated (preferred)	7 days
	Frozen	365 days
	Ambient	7 days

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
Z3132	Pneumo Ab Type 1	Alphanumeric		In Process
Z3133	Pneumo Ab Type 3	Alphanumeric		In Process
Z3134	Pneumo Ab Type 4	Alphanumeric		In Process
Z3135	Pneumo Ab Type 8	Alphanumeric		In Process
Z3136	Pneumo Ab Type 9 (9N)	Alphanumeric		In Process
Z3137	Pneumo Ab Type 12 (12F)	Alphanumeric		In Process
Z3138	Pneumo Ab Type 14	Alphanumeric		In Process
Z3139	Pneumo Ab Type 19 (19F)	Alphanumeric		In Process
Z3140	Pneumo Ab Type 23 (23F)	Alphanumeric		In Process
Z3141	Pneumo Ab Type 26 (6B)	Alphanumeric		In Process
Z3142	Pneumo Ab Type 51 (7F)	Alphanumeric		In Process
Z3143	Pneumo Ab Type 56 (18C)	Alphanumeric		In Process

CPT Code: 12 × 86317

Reference Values:

Pneumococcal Antibody Panel	Reference Range
Pneumo Ab Type 1	>1.3 ug/mL
Pneumo Ab Type 3	>1.3 ug/mL
Pneumo Ab Type 4	>1.3 ug/mL
Pneumo Ab Type 8	>1.3 ug/mL
Pneumo Ab Type 9 (9N)	>1.3 ug/mL
Pneumo Ab Type 12 (12F)	>1.3 ug/mL
Pneumo Ab Type 14	>1.3 ug/mL
Pneumo Ab Type 19 (19F)	>1.3 ug/mL
Pneumo Ab Type 23 (23F)	>1.3 uh/mL
Pneumo Ab Type 26 (6B)	>1.3 ug/mL
Pneumo Ab Type 51 (7F)	>1.3 ug/mL
Pneumo Ab Type 56 (18C)	>1.3 ug/mL

Test Performed by: Viracor-IBT Laboratories
1001 NW Technology Dr.
Lee's Summit, MO 64086