MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

6/15/2010

```
  ORDER      EFF                                                                          Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
   83641     5/6/2010      S. pneumoniae IgG Ab, 7 Serotypes,S                                   MCR
                    Transport temp : Refrig\Frozen OK\Ambient NO
                    23980    Serotype 4 (4)
                                Units: mcg/mL
                                   NO SEX
                                All Ages :                                ; >1.9
                                   MALE
                                All Ages :                                ; >1.9
                                   FEMALE
                                All Ages :                                ; >1.9
                             -  -  -  -  -
                    23943    Serotype 14 (14)
                                Units: mcg/mL
                                   NO SEX
                                All Ages :                                ; >5.2
                                   MALE
                                All Ages :                                ; >5.2
                                   FEMALE
                                All Ages :                                ; >5.2
                             -  -  -  -  -
                    23944    Serotype 19F (19)
                                Units: mcg/mL
                                   NO SEX
                                All Ages :                                ; >1.7
                                   MALE
                                All Ages :                                ; >1.7
                                   FEMALE
                                All Ages :                                ; >1.7
                             -  -  -  -  -
```

(continued next page)

```
  ORDER      EFF                                                                          Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
83641  (continued)
                    23945    Serotype 23F (23)
```

```
                    Units: mcg/mL
                       NO SEX
                    All Ages :                              ; >2.9
                       MALE
                    All Ages :                              ; >2.9
                       FEMALE
                    All Ages :                              ; >2.9
                 -  -  -  -  -
          23946    Serotype 6B (26)
                    Units: mcg/mL
                       NO SEX
                    All Ages :                              ; >11.2
                       MALE
                    All Ages :                              ; >11.2
                       FEMALE
                    All Ages :                              ; >11.2
                 -  -  -  -  -
          23947    Serotype 18C (56)
                    Units: mcg/mL
                       NO SEX
                    All Ages :                              ; >2.7
                       MALE
                    All Ages :                              ; >2.7
                       FEMALE
                    All Ages :                              ; >2.7
                 -  -  -  -  -
          23948    Serotype 9V (68)
                    Units: mcg/mL
                       NO SEX
                    All Ages :                              ; >2.8
                       MALE
                    All Ages :                              ; >2.8
                       FEMALE
                    All Ages :                              ; >2.8
                 -  -  -  -  -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -

*Performing Site Legend
==========================================================================================================================
==
MCR     Mayo Clinic Dpt of Lab Med & Pathology              LAB DIRECTOR:   Franklin R. Cockerill, III, M.D.
        200 First Street SW
        Rochester, MN  55905
==========================================================================================================================
==

    *** End of Report ***
```

CODE	TEXT

Total of 0 normals codes

*** End of Report ***