



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

6/15/2010

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
8687	5/6/2010		Copper, Liver Ts			SDL
			Transport temp : Refrig\Ambient or Frozen OK			
		8687	Copper, Liver Ts			
			Units: mcg/g dry wt			
			NO SEX			
			All Ages : 10-35		; 10-35	
			MALE			
			All Ages : 10-35		; 10-35	
			FEMALE			
			All Ages : 10-35		; 10-35	
			TEST CODE ALWAYS MESSAGE - [ZASR]			
			ZASR Analyte Specific Reagent			
			This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. This test has not been cleared or approved by the U.S. Food and Drug Administration.			

*Performing Site Legend

SDL Mayo Clinic Dpt of Lab Med & Pathology
 Superior Dr.
 3050 Superior Dr. NW
 Rochester, MN 55901

LAB DIRECTOR: Franklin R. Cockerill, III, M.D.

*** End of Report ***

MML Messages used as normals

CODE TEXT

Total of 0 normals codes

*** End of Report ***