

<b>Patient Name</b> TESTING,9254	<b>Patient ID</b> L3MRNW3795538	<b>Age</b>	<b>Gender</b>	<b>Order #</b> W3795538
<b>Ordering Phys</b>		<b>DOB</b>		
<b>Client Order #</b> W3795538	<b>Account Information</b> C7999998-STUSTEST 200 FIRST STREET SW ROCHESTER, MN 55901	<b>Report Notes</b>		
<b>Collected</b> 06/16/2010 06:00				
<b>Printed</b> 06/17/2010 10:04	(507)266-5730			

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>VMA and HVA, Pediatric, U</b>					
Child VMA		4.1	mcg/mg Cr	REPORTED 06/16/2010 10:33	MCR
Initial pH=5.43; Normal reference ranges do not apply to specimens with pH>5.0.					
-- REFERENCE VALUE --					
<27.0 (<1 y)					
<18.0 (1 y)					
<13.0 (2-4 y)					
<8.5 (5-9 y)					
<7.0 (10-14 y)					
Not applicable (>=15 y)					
Child HVA		13.0	mcg/mg Cr		MCR
Initial pH=5.43; Normal reference ranges do not apply to specimens with pH>5.0.					
-- REFERENCE VALUE --					
<35.0 (<1 y)					
<23.0 (1 y)					
<13.5 (2-4 y)					
<9.0 (5-9 y)					
<12.0 (10-14 y)					
Not applicable (>=15 y)					
Collection Duration		Random	h		MCR
Urine Volume		Spot	mL		MCR

\* Performing Site:

MCR	Mayo Clinic Dpt of Lab Med & Pathology 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

<b>Patient Name</b> TESTING,9254	<b>Collection Date and Time</b> 06/16/2010 06:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT