



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

7/2/2010

MML Name/order code cross-reference

Code Name

 600001 Cytomegalovirus PCR, Quant, P

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
600001	6/13/2010		Cytomegalovirus PCR, Quant, P			NEL
			Transport temp : Refrig\Frozen OK\Ambient NO			
			600001 Cytomegalovirus PCR, Quant, P			
			NO SEX			
			All Ages :		; None Detected	
			MALE			
			All Ages :		; None Detected	
			FEMALE			
			All Ages :		; None Detected	
			TEST CODE ALWAYS MESSAGE - [ZASR]			
			ZASR Analyte Specific Reagent			
			This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. This test has not been cleared or approved by the U.S. Food and Drug Administration.			
			209023	Copies/mL		
			209024	Lower 95% Confidence Interval		
			209025	Upper 95% Confidence Interval		

MML MML Test setup information

*Performing Site Legend

=====
 NEL Mayo Medical Laboratories New England LAB DIRECTOR: Lynn A. Cheryk, Ph.D.
 160 Dascomb Road
 Andover, MA 01810
 =====

MML

CODE

TEXT

Messages used as normals

Total of 0 normals codes

*** End of Report ***