MAYO CLINIC
Mayo Medical Laboratories

# TEST DEFINITION

7/8/2010

| Code | Name |
|---|---|
| 88722 | Inhibin B, S |

**** End of Name to order code Report ****

MML MML Test setup information

| ORDER CODE | EFF DATE | TC | TITLE | Checking Normals | Print normals (# coded) | Perform Site * |
|---|---|---|---|---|---|---|
| 88722 | 5/12/2010 | | Inhibin B, S | | | MCR |

```
                UNIT CODE ALWAYS MESSAGE - [Z88722]
                       The testing method is a manual immunoenzymatic assay
                       manufactured by Beckman Coulter Inc.
                       Values obtained with different assay methods or kits may be
                       different and cannot be used interchangeably.
                       If this test is being ordered as a tumor marker, results
                       cannot be interpreted as absolute evidence for the presence
                       or absence of malignant disease.
                Transport temp : Refrig\Frozen OK\Ambient NO
                88722    Inhibin B, S
                            Units: pg/mL
                               NO SEX
                            All Ages :                              ; #N88722A
                               MALE
                            No age        :                         ; #N88722M
                            1D to 23M     : -430                    ; <430
                            24M to 4Y     : -269                    ; <269
                            5Y to 7Y      : -184                    ; <184
                            8Y to 10Y     : -214                    ; <214
                            11Y to 13Y    : -276                    ; <276
                            14Y to 17Y    : -273                    ; <273
                            18Y to 150Y   : -399                    ; <399
                               FEMALE
                            No age        :                         ; #N88722F
                            1D to 23M     : -111                    ; <111
                            24M to 4Y     : -44                     ; <44
```

(continued next page)

| ORDER CODE | EFF DATE | TC | TITLE | Checking Normals | Print normals (# coded) | Perform Site * |
|---|---|---|---|---|---|---|
| 88722 (continued) | | | | | | |
| | | 88722 | Inhibin B, S (continued) | | | |
| | | | | 5Y to 7Y : -27 | ; <27 | |
| | | | | 8Y to 10Y : -67 | ; <67 | |
| | | | | 11Y to 13Y : -120 | ; <120 | |
| | | | | 14Y to 17Y : -136 | ; <136 | |
| | | | | 18Y to 150Y : | ; #N88722AF | |
| | | | - - - - - | | | |

- - - - - - - - - - - - - - - - - - - - - - - - - - - - -

*Performing Site Legend

==========

MCR Mayo Clinic Dpt of Lab Med & Pathology LAB DIRECTOR: Franklin R. Cockerill, III, M.D.
200 First Street SW
Rochester, MN 55905

==========

*** End of Report ***

MML Messages used as normals

| CODE | TEXT |
|---|---|
| N88722A | Males: |
| | <430 (0-23 m) |
| | <269 (2-4 y) |
| | <184 (5-7 y) |
| | <214 (8-10 y) |
| | <276 (11-13 y) |
| | <273 (14-17 y) |
| | <399 (>=18 y) |
| | Females: |
| | <111 (0-23 m) |
| | <44 (2-4 y) |
| | <27 (5-7 y) |
| | <67 (8-10 y) |
| | <120 (11-13 y) |
| | <136 (14-17 y) |
| | <139 (Premenopausal, Follicular) |

```
             <92 (Premenopausal, Luteal)
             <10 (Postmenopausal)
--------
N88722AF     <139 (Premenopausal, Follicular)
             <92 (Premenopausal, Luteal)
             <10 (Postmenopausal)
--------

CODE         TEXT
-----        ------------------
N88722F      <111 (0-23 m)
             <44 (2-4 y)
             <27 (5-7 y)
             <67 (8-10 y)
             <120 (11-13 y)
             <136 (14-17 y)
             <139 (Premenopausal, Follicular)
             <92 (Premenopausal, Luteal)
             <10 (Postmenopausal)
--------
N88722M      <430 (0-23 m)
             <269 (2-4 y)
             <184 (5-7 y)
             <214 (8-10 y)
             <276 (11-13 y)
             <273 (14-17 y)
             <399 (>=18 y)
--------


Total of 4 normals codes

    *** End of Report ***
```