

THYROGLOBULIN TUMOR MARKER, SERUM
#800126**PROFILE INFORMATION:**

Unit Code	Reporting Name	Available Separately	Always Performed
800127	Thyroglobulin Ab Screen, S	Yes	Yes
800131	Thyroglobulin, Tumor Marker, S	No	Yes

EXPLANATION: The comment attached to the reference range for #800126, Thyroglobulin Tumor Marker, S will change on October 5, 2010.

CURRENT REFERENCE VALUE:

THYROGLOBULIN ANTIBODY SCREEN

<4.0 IU/mL

THYROGLOBULIN, TUMOR MARKER

> or =16 years: < or = 33 ng/mL

Athyrotic individuals normally have hTg values
less than 5 ng/mL.**NEW REFERENCE VALUE:**

THYROGLOBULIN ANTIBODY SCREEN

<4.0 IU/mL

THYROGLOBULIN, TUMOR MARKER

> or =16 years: < or = 33 ng/mL

Athyrotic individuals normally have hTg values
<=2 ng/mL.

NOTE: CPT codes and Fees will remain unchanged.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager
Greg Renkly, Mayo Medical Laboratories' Technologist Support
Telephone: 800-533-1710