



TEST DEFINITION

9/28/2010

MML	Name/order code cross-reference
Code	Name
-----	-----
86154	Manganese, Random, U

MML	MML Test setup information					Perform
ORDER	EFF	TC	TITLE	Checking Normals	Print normals (# coded)	Site *
CODE	DATE				-----	-----
-----	-----	-----	-----	-----	-----	-----
86154	8/27/2010		Manganese, Random, U			SDL
			Transport temp : Refrig\Ambient OK\Frozen OK			
			86154 Manganese, Random, U			
			Units: mcg/L			
			NO SEX			
			No age :		; Not Established	
			1D to 15Y :		; Not Established	
			16Y to 150Y : 0.1-0.9		; 0.1-0.9	
			MALE			
			No age :		; Not Established	
			1D to 15Y :		; Not Established	
			16Y to 150Y : 0.1-0.9		; 0.1-0.9	
			FEMALE			
			No age :		; Not Established	
			1D to 15Y :		; Not Established	
			16Y to 150Y : 0.1-0.9		; 0.1-0.9	

*Performing Site Legend

SDL	Mayo Clinic Dpt of Lab Med & Pathology	LAB DIRECTOR:	Franklin R. Cockerill, III, M.D.
	Superior Dr.		
	3050 Superior Dr. NW		
	Rochester, MN 55901		

MML Messages used as normals

CODE	TEXT
-----	-----

Total of 0 normals codes

*** End of Report ***