



TEST DEFINITION

10/19/2010

| ORDER CODE | EFF DATE | TC | TITLE | Checking Normals | Print normals (# coded) | Perform Site * |
|------------|-----------|-------|--|------------------|-------------------------|----------------|
| 60077 | 10/8/2010 | | Selenium, Random, U | | | SDL |
| | | | Transport temp : Refrig\Ambient OK\Frozen OK | | | |
| | | 60077 | Selenium, Random, U | | | |
| | | | Units: mcg/L | | | |
| | | | NO SEX | | | |
| | | | No age | : | ; #NRRSEUROY | |
| | | | 1D to 15Y | : | ; #NREFSEU | |
| | | | 16Y to 150Y | : 15-50 | ; 15-50 | |
| | | | MALE | | | |
| | | | No age | : | ; #NRRSEUROY | |
| | | | 1D to 15Y | : | ; #NREFSEU | |
| | | | 16Y to 150Y | : 15-50 | ; 15-50 | |
| | | | FEMALE | | | |
| | | | No age | : | ; #NRRSEUROY | |
| | | | 1D to 15Y | : | ; #NREFSEU | |
| | | | 16Y to 150Y | : 15-50 | ; 15-50 | |

*Performing Site Legend

=====

==

SDL Mayo Clinic Dpt of Lab Med & Pathology
Superior Dr.
3050 Superior Dr. NW
Rochester, MN 55901

LAB DIRECTOR: Franklin R. Cockerill, III, M.D.

MML Messages used as normals

CODE TEXT

MML Messages used as normals

CODE TEXT

NREFSEU Reference values have not been established
for patients that are <16y.

NRRSEUR0Y Not established (<16 y)
15-50 (>=16 y)

Total of 2 normals codes

*** End of Report ***