

**HUMAN PAPILLOMAVIRUS (HPV), HIGH-RISK DETECTION ONLY, IN
SITU DNA HYBRIDIZATION
60483**

USEFUL FOR: The detection of specific high-risk HPV DNA types (16,18,31,33,35,39,45,51,52,56,58, and 66) in paraffin-embedded human tissue.

METHODOLOGY: In Situ DNA Hybridization

REFERENCE VALUES: Results are reported as positive or negative for types 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, and 66.

If additional interpretation/analysis is needed, please request #5439 "Surgical Pathology Consultation" along with this test.

SPECIMEN REQUIREMENTS:

Container/Tube: Surgical Pathology Packaging Kit (Supply T554)

Specimen Volume: Formalin-fixed, paraffin-embedded tissue block or 4 unstained glass, "positively charged" slides with formalin-fixed, paraffin-embedded tissue; or formalin-fixed tissue

Collection Instructions:

Note: 1. A pathology/diagnostic report and a brief history are required.

2. One slide will be stained as an H&E and retained.

LIST FEE: \$532.70

CPTCODE: 88365

ANALYTIC TIME: 1 day

DAY(S) SET-UP: Monday through Friday; 9 a.m.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager
Steven Monson, MML Laboratory Technologist Resource Coordinator
Telephone: 800-533-1710