

TEST DEFINITION

11/9/2010

Code Name

83266 Tick-Borne Panel PCR, B

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
83266(profile)			Tick-Borne Panel PCR, B			
81147	5/24/2005		Babesia microti PCR, B			MCR
			Transport temp : Refrig\Frozen NO\Ambient NO			
		6477	Specimen Source			
		81147	Babesia microti by Rapid PCR, B			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
			TEST CODE ALWAYS MESSAGE - [ASR]			
			ASR This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.			
84319	6/16/2010		Ehrlichia/Anaplasma PCR, B			MCR
			Transport temp : Refrig\Frozen NO\Ambient NO			
		84319	Anaplasma phagocytophilum			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
			TEST CODE ALWAYS MESSAGE - [ASR]			
			ASR This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.			

Administration.

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
83266	(continued)					
		23663	Ehrlichia chaffeensis			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
			TEST CODE ALWAYS MESSAGE - [ASR]			
			ASR This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.			
		23664	Ehrlichia ewingii/canis			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
			TEST CODE ALWAYS MESSAGE - [ASR]			
			ASR This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.			
		32010	Ehrlichia muris-like			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
			TEST CODE ALWAYS MESSAGE - [ASR]			
			ASR This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.			

*Performing Site Legend

=====

==

MCR Mayo Clinic Dpt of Lab Med & Pathology
 200 First Street SW
 Rochester, MN 55905

LAB DIRECTOR: Franklin R. Cockerill, III, M.D.

=====

==

CODE	TEXT
-----	-----

Total of 0 normals codes

*** End of Report ***