

## **TEST DEFINITION**

12/6/2010

Name

Code

800166 Epstein-Barr Virus PCR, Quant, B ORDER EFF Perform CODE DATE TITLE Checking Normals Print normals (# coded) Site \* TC --------------Epstein-Barr Virus PCR, Quant, B MCF 800166 10/12/2010 Transport temp : Refrig\Frozen NO\Ambient NO 800166 Epstein-Barr Virus PCR, Quant, B NO SEX All Ages : ; None Detected MALE All Ages : : None Detected **FEMALE** All Ages : : None Detected TEST CODE ALWAYS MESSAGE - [ZASR] Analyte Specific Reagent ZASR This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. This test has not been cleared or approved by the U.S. Food and Drug Administration. 800165 Copies/mL Lower 95% Confidence Interval 800213 800214 Upper 95% Confidence Interval

Performing Site Legend				
:= ICF	Mayo Clinic Jacksonville Clinical Lab 4500 San Pablo Rd Jacksonville, FL 32224	LAB DIRECTOR:	Arthur D. Jones, Jr. M.D.	
:====				=======

Total of 0 normals codes

CODE

\*\*\* End of Report \*\*\*

TEXT