

## TEST DEFINITION

12/7/2010

MML Name/order code cross-reference

Code Name

800159 Previous Hepatitis Exposure Profile

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
800159(profile)			Previous Hepatitis Exposure Profile			
800050	5/20/2005		HBs Antigen, S			MCF
			Transport temp : Frozen\Refrig <5 days OK\Ambient <8 hours OK			
			800050 HBs Antigen, S			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
			- - - - -			
800045	11/15/2010		HBs Antibody, S			MCF
			Transport temp : Frozen\Refrig <5 days OK\Ambient <8 hours OK			
			800045 HBs Antibody, S			
			NO SEX			
			All Ages :		; #N8254NA	
			MALE			
			All Ages :		; #N8254NA	
			FEMALE			
			All Ages :		; #N8254NA	
			- - - - -			
			800099 HBs Antibody, Quantitative, S			
			Units: mIU/mL			
			NO SEX			
			All Ages :		; #N8254NB	
			MALE			
			All Ages :		; #N8254NB	

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
800159	(continued)					
		800099	HBs Antibody, Quantitative, S (continued)			
			FEMALE			
			All Ages :		; #N8254NB	
800049	5/20/2005		Hbc Total Ab, S			MCF
			Transport temp : Frozen\Refrig <5 days OK\Ambient <8 hours OK			
		800049	Hbc Total Ab, S			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
800147	6/4/2007		Hepatitis A Total Ab, S			MCF
			Transport temp : Frozen\Refrig <5 days OK\Ambient <8 hours OK			
		800147	Hepatitis A Total Ab, S			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
800046	2/10/2009		HCV Ab Screen, S			MCF
			Transport temp : Frozen\Refrig <5 days OK\Ambient <8 hours OK			
		800046	HCV Ab Screen, S			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	

\*Performing Site Legend

```

=====
MCF      Mayo Clinic Jacksonville Clinical Lab      LAB DIRECTOR:  Arthur D. Jones, Jr. M.D.
          4500 San Pablo Rd
          Jacksonville, FL 32224
=====

```

Messages used as normals

MML CODE	TEXT
----- N8254NA	Unvaccinated: Negative Vaccinated: Positive
----- N8254NB	Unvaccinated: <5.0 Vaccinated: >=12.0
-----	

Total of 2 normals codes

\*\*\* End of Report \*\*\*