



MAYO CLINIC  
Mayo Medical Laboratories

# TEST DEFINITION

12/23/2010

Code Name

800226 HCV RNA Detect/Quant, S

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
800226	12/8/2010		HCV RNA Detect/Quant, S			MCF
			Transport temp : Frozen\Refrig NO\Ambient NO			
		83142	HCV RNA Detect/Quant, S			
			Units: IU/mL			
			NO SEX			
			All Ages :		; Undetected	
			MALE			
			All Ages :		; Undetected	
			FEMALE			
			All Ages :		; Undetected	
			TEST CODE ALWAYS MESSAGE - [Z83142Q]			
			Z83142Q Quantification range of this assay is 43 IU/mL to			
			69,000,000 IU/mL (1.63 to 7.84 log IU/mL).			
			Testing was performed by the COBAS AmpliPrep/COBAS TaqMan			
			HCV Test (Roche Molecular Systems, Inc.).			

\*Performing Site Legend

MCF Mayo Clinic Jacksonville Clinical Lab  
4500 San Pablo Rd  
Jacksonville, FL 32224

LAB DIRECTOR: Arthur D. Jones, Jr. M.D.

CODE TEXT

Total of 0 normals codes

\*\*\* End of Report \*\*\*