



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

12/23/2010

Code Name

 9067 Coag Factor XI Assay, P

**** End of Name to order code Report ****

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
9067	12/2/2010		Coag Factor XI Assay, P			MCR
			Transport temp : Frozen\Refrig NO\Ambient NO			
			9067 Coag Factor XI Assay, P			
			Units: %			
			NO SEX			
			No age :		; #N9067Y0	
			1D to 6M :		; #N9067Y0	
			7M to 150Y :	55-150	; 55-150	
			MALE			
			No age :		; #N9067Y0	
			1D to 6M :		; #N9067Y0	
			7M to 150Y :	55-150	; 55-150	
			FEMALE			
			No age :		; #N9067Y0	
			1D to 6M :		; #N9067Y0	
			7M to 150Y :	55-150	; 55-150	

*Performing Site Legend

```

=====
==
MCR      Mayo Clinic Dpt of Lab Med & Pathology      LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          200 First Street SW
          Rochester, MN 55905
=====
==

```

*** End of Report ***

MML

Messages used as normals

CODE

TEXT

N9067Y0

Normal full-term newborn
infants or healthy
premature infants may have
decreased levels (> =
10%) which may not reach
adult level for > or = 180
days postnatal.
(Literature derived)

55-150 (Adults)

Total of 1 normals codes

*** End of Report ***