MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

12/23/2010

```
  ORDER      EFF                                                                          Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
7807(profile)              Coag Factor V Inhibitor Scrn, P
   9054      12/2/2010     Coag Factor V Assay, P                                                MCR
                    Transport temp : Frozen\Refrig NO\Ambient NO
                    9054     Coag Factor V Assay, P
                                Units: %
                                   NO SEX
                                No age        :                          ; #N9054Y0
                                1D to 21D     :                          ; #N9054Y0
                                22D to 150Y   : 70-165                   ; 70-165
                                   MALE
                                No age        :                          ; #N9054Y0
                                1D to 21D     :                          ; #N9054Y0
                                22D to 150Y   : 70-165                   ; 70-165
                                   FEMALE
                                No age        :                          ; #N9054Y0
                                1D to 21D     :                          ; #N9054Y0
                                22D to 150Y   : 70-165                   ; 70-165
                             -  -  -  -  -
   7808      12/13/2010    Factor V Inhib Scrn                                                   MCR
                    Transport temp : Frozen\Refrig NO\Ambient NO
                    7808     Factor V Inhib Scrn
                                   NO SEX
                                All Ages :                               ; Negative
                                   MALE
                                All Ages :                               ; Negative
                                   FEMALE
                                All Ages :                               ; Negative
                             -  -  -  -  -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

*Performing Site Legend

==========

MCR Mayo Clinic Dpt of Lab Med & Pathology LAB DIRECTOR: Franklin R. Cockerill, III, M.D.
200 First Street SW
Rochester, MN 55905

==========
==

*** End of Report ***

CODE	TEXT
N9054Y0	Normal full-term newborn infants may have borderline low or mildly decreased levels (> or = 30-35%) which reach adult levels within 21 days. (Literature derived) Healthy premature infants (30-36 wks gest) may have borderline low or mildly decreased levels. 70-165 (Adults)

Total of 1 normals codes

*** End of Report ***