MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

1/5/2011

Code	Name
86137	Acute Hepatitis Prof w/HCV Reflex

```
  ORDER      EFF                                                                          Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
86137(profile)            Acute Hepatitis Prof w/HCV Reflex
   9013      10/20/2005    HBs Antigen, S                                                        SDL
                   Transport temp : Frozen\Refrig <5 days\Ambient <8 hours OK
                   9013     HBs Antigen, S
                                  NO SEX
                               All Ages :                                ; Negative
                                  MALE
                               All Ages :                                ; Negative
                                  FEMALE
                               All Ages :                                ; Negative
                            -  -  -  -  -
   8342      5/16/2007     Hepatitis A IgM Ab, S                                                 SDL
                   Transport temp : Frozen\Refrig <5 days OK\Ambient <8 hours OK
                   5501     Hepatitis A IgM Ab, S
                                  NO SEX
                               All Ages :                                ; Negative
                                  MALE
                               All Ages :                                ; Negative
                                  FEMALE
                               All Ages :                                ; Negative
                            -  -  -  -  -
   9015      5/23/2006     HBc IgM Ab, S                                                         SDL
                   Transport temp : Frozen|Refrig <5 days OK\Ambient <8 hours OK
                   9015     HBc IgM Ab, S
                                  NO SEX
                               All Ages :                                ; Negative
                                  MALE
                               All Ages :                                ; Negative
```

(continued next page)

```
  ORDER      EFF                                                                                    Perform
  CODE       DATE    TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----    ----   ----------     ----------------              ----------------------   -------
86137  (continued)
                     9015     HBc IgM Ab, S  (continued)
                                    FEMALE
                                 All Ages :                               ; Negative
                            -  -  -  -  -
   60707     12/13/2010    HCV Ab Scrn w/Reflex to HCV PCR, S                                         SDL
                     Transport temp : Frozen\Refrig NO\Ambient NO
                     32349    HCV Ab Screen, S
                                    NO SEX
                                 All Ages :                               ; Negative
                                    MALE
                                 All Ages :                               ; Negative
                                    FEMALE
                                 All Ages :                               ; Negative
                            -  -  -  -  -
- - - - - - - - - - - - - - - - - - - - - - - - - - -

*Performing Site Legend
================================================================================================================================
==
SDL     Mayo Clinic Dpt of Lab Med & Pathology               LAB DIRECTOR:   Franklin R. Cockerill, III, M.D.
        Superior Dr.
        3050 Superior Dr. NW
        Rochester, MN  55901
================================================================================================================================
==


CODE         TEXT
-----        -----------------


Total of 0 normals codes

    *** End of Report ***



<Return> to continue
```