



TEST DEFINITION

1/13/2011

| | |
|-------|---------------------------------|
| MML | Name/order code cross-reference |
| Code | Name |
| ----- | ----- |
| 81814 | Syphilis IgG Ab w/Reflex RPR, S |

| | | | | | | |
|-------|----------------------------|-------|--|------------------|-------------------------|---------|
| MML | MML Test setup information | | | | | Perform |
| ORDER | EFF | | | | | Site * |
| CODE | DATE | TC | TITLE | Checking Normals | Print normals (# coded) | ----- |
| ----- | ----- | ----- | ----- | ----- | ----- | ----- |
| 81814 | 11/24/2010 | | Syphilis IgG Ab w/Reflex RPR, S | | | SDL |
| | | | Transport temp : Refrig\Frozen OK\Ambient NO | | | |
| | | | 81814 Syphilis IgG Ab w/Reflex RPR, S | | | |
| | | | NO SEX | | | |
| | | | All Ages : | | ; Negative | |
| | | | MALE | | | |
| | | | All Ages : | | ; Negative | |
| | | | FEMALE | | | |
| | | | All Ages : | | ; Negative | |

*Performing Site Legend

```

=====
SDL      Mayo Clinic Dpt of Lab Med & Pathology          LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          Superior Dr.
          3050 Superior Dr. NW
          Rochester, MN 55901
=====

```

| | |
|-------|--------------------------|
| MML | Messages used as normals |
| CODE | TEXT |
| ----- | ----- |

Total of 0 normals codes

*** End of Report ***