MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

12/7/2010

MML Name/order code cross-reference

MML Code	Name
60274	Vanillylmandelic Acid, Random, U

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
60274	10/5/2010		Vanillylmandelic Acid, Random, U			MCR

```
Transport temp : Frozen\Refrig OK\Ambient NO
60274    Vanillylmandelic Acid, Random, U
            Units: mg/g Cr
               NO SEX
            No age        :                          ; #N602740Y
            1D to 11M     : 0.0-26.9                 ; <27.0
            12M to 23M    : 0.0-17.9                 ; <18.0
            24M to 4Y     : 0.0-12.9                 ; <13.0
            5Y to 9Y      : 0.0-8.4                  ; <8.5
            10Y to 14Y    : 0.0-6.9                  ; <7.0
            15Y to 150Y   : 0.0-6.0                  ; <=6.0
               MALE
            No age        :                          ; #N602740Y
            1D to 11M     : 0.0-26.9                 ; <27.0
            12M to 23M    : 0.0-17.9                 ; <18.0
            24M to 4Y     : 0.0-12.9                 ; <13.0
            5Y to 9Y      : 0.0-8.4                  ; <8.5
            10Y to 14Y    : 0.0-6.9                  ; <7.0
            15Y to 150Y   : 0.0-6.0                  ; <=6.0
               FEMALE
            No age        :                          ; #N602740Y
            1D to 11M     : 0.0-26.9                 ; <27.0
            12M to 23M    : 0.0-17.9                 ; <18.0
            24M to 4Y     : 0.0-12.9                 ; <13.0
            5Y to 9Y      : 0.0-8.4                  ; <8.5
            10Y to 14Y    : 0.0-6.9                  ; <7.0
```

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
60274 (continued)						
		60274	Vanillylmandelic Acid, Random, U (continued)			
			15Y to 150Y	: 0.0-6.0	; <=6.0	
			- - - - -			

- -

*Performing Site Legend

MCR Mayo Clinic Dpt of Lab Med & Pathology LAB DIRECTOR: Franklin R. Cockerill, III, M.D.
200 First Street SW
Rochester, MN 55905

MML Messages used as normals

CODE	TEXT
N602740Y	<27.0 (<1 y)
	<18.0 (1 y)
	<13.0 (2-4 y)
	<8.5 (5-9 y)
	<7.0 (10-14 y)
	<=6.0 (>=15 y)

Total of 1 normals codes

*** End of Report ***