



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

3/3/2011

| ORDER CODE | EFF DATE | TC | TITLE | CHECKING NORMALS | PRINT NORMALS (# CODED) | PERFORM SITE * |
|-----------------|-----------|-------|--|------------------|-------------------------|----------------|
| 83012 (PROFILE) | | | ANCA PANEL FOR VASCULITIS, S | | | |
| 80389 | 2/14/2011 | | MYELOPEROXIDASE AB, S | | | MCR |
| | | | TRANSPORT TEMP : REFRIG\FROZEN OK\AMBIENT NO | | | |
| | | 80389 | MYELOPEROXIDASE AB, S | | | |
| | | | UNITS: U | | | |
| | | | NO SEX | | | |
| | | | ALL AGES : 0.0-0.3 | | ; <0.4 (NEGATIVE) | |
| | | | MALE | | | |
| | | | ALL AGES : 0.0-0.3 | | ; <0.4 (NEGATIVE) | |
| | | | FEMALE | | | |
| | | | ALL AGES : 0.0-0.3 | | ; <0.4 (NEGATIVE) | |
| 82965 | 2/14/2011 | | PROTEINASE 3 AB (PR3), S | | | MCR |
| | | | TRANSPORT TEMP : REFRIG\FROZEN OK\AMBIENT NO | | | |
| | | 82965 | PROTEINASE 3 AB (PR3), S | | | |
| | | | UNITS: U | | | |
| | | | NO SEX | | | |
| | | | ALL AGES : 0.0-0.3 | | ; <0.4 (NEGATIVE) | |
| | | | MALE | | | |
| | | | ALL AGES : 0.0-0.3 | | ; <0.4 (NEGATIVE) | |
| | | | FEMALE | | | |
| | | | ALL AGES : 0.0-0.3 | | ; <0.4 (NEGATIVE) | |

PERFORMING SITE LEGEND

```

=====
==
MCR      MAYO CLINIC DPT OF LAB MED & PATHOLOGY      LAB DIRECTOR:  FRANKLIN R. COCKERILL, III, M.D.
          200 FIRST STREET SW
          ROCHESTER, MN 55905
=====
==

```

*** END OF REPORT ***

CODE TEXT

TOTAL OF 0 NORMALS CODES

*** END OF REPORT ***