MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

3/3/2011

```
Code   Name
----   --------------------
800110 H. pylori Ab, IgG, IgM, and IgA, S

  **** End of Name to order code Report ****
```

```
  ORDER      EFF                                                                          Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
800110(profile)            H. pylori Ab, IgG, IgM, and IgA, S
   800047    4/19/2007     Helicobacter pylori Ab, IgG, S                                        MCF
                    Transport temp : Refrig\Frozen OK\Ambient NO
                    800047   Helicobacter pylori Ab, IgG, S
                                Units: index
                                   NO SEX
                                All Ages : -0.99                        ; #N800047
                                   MALE
                                All Ages : -0.99                        ; #N800047
                                   FEMALE
                                All Ages : -0.99                        ; #N800047
                             -  -  -  -  -
   800111    2/21/2011     Helicobacter pylori Ab, IgM, S                                        MCF
                    Transport temp : Refrig\Frozen OK\Ambient NO
                    800111   Helicobacter pylori Ab, IgM, S
                                Units: U/mL
                                   NO SEX
                                All Ages : -39.99                       ; Negative
                                   MALE
                                All Ages : -39.99                       ; Negative
                                   FEMALE
                                All Ages : -39.99                       ; Negative
                             -  -  -  -  -
                    32064    Index Value
                             -  -  -  -  -
   800112    2/21/2011     Helicobacter pylori Ab, IgA, S                                        MCF
                    Transport temp : Refrig\Frozen OK\Ambient NO
```

(continued next page)

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
800110 (continued)						
		800112	Helicobacter pylori Ab, IgA, S			
				Units: U/mL		
				NO SEX		
				All Ages : -19.99	; Negative	
				MALE		
				All Ages : -19.99	; Negative	
				FEMALE		
				All Ages : -19.99	; Negative	
			- - - - -			
		32063	Index Value			
			- - - - -			

- -

*Performing Site Legend

==========

MCF Mayo Clinic Jacksonville Clinical Lab LAB DIRECTOR: Gretchen Johns, M.D.
4500 San Pablo Rd
Jacksonville, FL 32224

==========

*** End of Report ***

MML Messages used as normals

CODE	TEXT
N800047	<0.75 (negative)
	0.75-0.99 (equivocal)
	>=1.00 (positive)

Total of 1 normals codes

*** End of Report ***