MAYO CLINIC
Mayo Medical Laboratories

# TEST DEFINITION

03/03/2011

```
  ORDER      EFF                                                                          Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
800224(profile)            Ab to Extractable Nuclear Ag Eval, S
   800225    2/16/2011     SS-A/Ro Ab, IgG, S                                                    MCF
                   Transport temp : Refrig\Frozen OK\Ambient NO
                   800225   SS-A/Ro Ab, IgG, S
                               Units: U
                                  NO SEX
                               All Ages : 0.0-0.9                        ; <1.0 (Negative)
                                  MALE
                               All Ages : 0.0-0.9                        ; <1.0 (Negative)
                                  FEMALE
                               All Ages : 0.0-0.9                        ; <1.0 (Negative)
                            -  -  -  -  -
   800227    2/16/2011     SS-B/La Ab, IgG, S                                                    MCF
                   Transport temp : Refrig\Frozen OK\Ambient NO
                   800227   SS-B/La Ab, IgG, S
                               Units: U
                                  NO SEX
                               All Ages : 0.0-0.9                        ; <1.0 (Negative)
                                  MALE
                               All Ages : 0.0-0.9                        ; <1.0 (Negative)
                                  FEMALE
                               All Ages : 0.0-0.9                        ; <1.0 (Negative)
                            -  -  -  -  -
   800221    2/16/2011     Sm Ab, IgG, S                                                         MCF
                   Transport temp : Refrig\Frozen OK\Ambient NO
```

(continued next page)

```
  ORDER      EFF                                                                    Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
800224  (continued)
                    800221   Sm Ab, IgG, S
                                Units: U
                                   NO SEX
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                                   MALE
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                                   FEMALE
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                             -  -  -  -  -
   800222    2/16/2011     RNP Ab, IgG, S                                                   MCF
                    Transport temp : Refrig\Frozen OK\Ambient NO
                    800222   RNP Ab, IgG, S
                                Units: U
                                   NO SEX
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                                   MALE
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                                   FEMALE
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                             -  -  -  -  -
   800229    2/16/2011     Scl 70 Ab, IgG, S                                                MCF
                    Transport temp : Refrig\Frozen OK\Ambient NO
                    800229   Scl 70 Ab, IgG, S
                                Units: U
                                   NO SEX
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                                   MALE
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                                   FEMALE
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                             -  -  -  -  -
   800219    2/16/2011     Jo 1 Ab, IgG, S                                                  MCF
                    Transport temp : Refrig\Frozen OK\Ambient NO
                    800219   Jo 1 Ab, IgG, S
                                Units: U
                                   NO SEX
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                                   MALE
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                                   FEMALE
                                All Ages : 0.0-0.9                      ; <1.0 (Negative)
                             -  -  -  -  -
```

MML MML Test setup information

*Performing Site Legend

MCF Mayo Clinic Jacksonville Clinical Lab LAB DIRECTOR: Gretchen Johns, M.D.
4500 San Pablo Rd
Jacksonville, FL 32224

*** End of Report ***

MML Messages used as normals

| CODE | TEXT |
| --- | --- |

Total of 0 normals codes

*** End of Report ***