MAYO CLINIC
Mayo Medical Laboratories

LABORATORY SERVICE REPORT

1-800-533-1710

PATIENT NAME	PATIENT NUMBER	AGE	SEX	ACCESSION #
TEST170, 170	L3MRNG9161605	35	F	G9161605

ORDERING PHYSICIAN	CLIENT ORDER #	ACCOUNT #
		LIAISONS

COLLECTION DATE TIME	RECEIVED DATE TIME	REPORT PRINTED DATE TIME	SPECIMEN INFORMATION
12/16/10 08:43 A		03/09/11 07:31 A	DATE OF BIRTH:

Test Client
Attn: Mayo Liaisons
200 First Street SW
Rochester, MN 55905
507-284-8202

TEST REQUESTED	HI LO		REF RANGE	PERFORM SITE *
First Trimester Maternal Screen				**REPORTED: 12/17/10 11:53 A**
Collection Date	12-16-10			SDL
Maternal Birthdate	05-03-91			SDL
Calculated Age at EDD	20	yr		SDL
Maternal Weight	400	lbs		SDL
Insulin dependent diabetes	Not reported			SDL
Black race	non-Black			SDL
IVF	Yes			SDL
Scan Date	12-16-10			SDL
CRL Measure 1	33	mm		SDL
GA on Collection by U/S Scan	10,1	wk,d		SDL
NT	1.48 MoM (1.2mm)			SDL
PAPP-A	1.68 MoM (100ng/mL)			SDL
THCG	0.74 MoM (30.0 IU/mL)			SDL
Down Syndrome Screen Risk Estimate	1/14,000			SDL
Down Syndrome Maternal Age Risk	1/840			SDL
Trisomy 18 Screen Risk Estimate	< 1/100			SDL
Interpretation				SDL

Screen negative for Down syndrome. The risk for trisomy 18 is less than 1%. For neural tube risk assessment, collect specimen between 15,0 and 22,6 (weeks,days) and order AFP Single Marker Screen (81169).

Additional Comments SDL

Maternal weights less than 65 lbs (29.3 kg) or greater than 400 lbs (182.1 kg) are truncated

** Perform Site Legend on last page of report*

PATIENT NAME	ORDER STATUS	COLLECTION DATE AND TIME
TEST170, 170	Final	12/16/10 08:43 A

MAYO CLINIC
Mayo Medical Laboratories

LABORATORY SERVICE REPORT

1-800-533-1710

PATIENT NAME	PATIENT NUMBER	AGE	SEX	ACCESSION #
TEST170, 170	L3MRNG9161605	35	F	G9161605

ORDERING PHYSICIAN	CLIENT ORDER #	ACCOUNT #
		LIAISONS

COLLECTION DATE TIME	RECEIVED DATE TIME	REPORT PRINTED DATE TIME	SPECIMEN INFORMATION
12/16/10 08:43 A		03/09/11 07:31 A	DATE OF BIRTH:

Test Client
Attn: Mayo Liaisons
200 First Street SW
Rochester, MN 55905
507-284-8202

TEST REQUESTED	HI LO	REF RANGE	PERFORM SITE *
and risks are estimated.			
Recommended Follow Up			SDL
None.			

This screening provides an estimation of risk, not a diagnosis. Incorrect information may significantly alter results.
Risks are adjusted for IVF, donor eggs and frozen embryos.
In twin pregnancies with a fetal demise, results may be unreliable. Results are not available for pregnancies with triplets and higher order multiples.
Results are positive when the risk for Down syndrome equals or exceeds 1 in 230, or when the risk for trisomy 18 equals or exceeds 1 in 100.
Family history affects risk. If there is a family history of a neural tube defect, chromosome abnormality, or other inherited condition, consider the option of a genetic consultation.
For further information, please contact the maternal screening laboratory at 1-800-533-1710.

*** PERFORMING SITE**

SDL	Mayo Clinic Dpt of Lab Med & Pathology Superior Dr 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.

PATIENT NAME	ORDER STATUS	COLLECTION DATE AND TIME
TEST170, 170	Final	12/16/10 08:43 A