

**TESTING RESUMED,
REPORTING TITLE AND
REFERENCE VALUES
CHANGE**

NOTIFICATION DATE: March 10, 2011

EFFECTIVE DATE: March 15, 2011

**THYROGLOBULIN ANTIBODY SCREEN, SERUM
#84382**

EXPLANATION: Mayo Medical Laboratories has validated methodology on the Roche Cobas platform for Thyroglobulin Antibody Screen, Serum. Therefore, effective March 15, 2011, test code #84382 Thyroglobulin Antibody Screen, Serum, will be reactivated and again available. There will also be a reporting title and reference values change.

PREVIOUS REPORTING TITLE: Thyroglobulin Antibody Screen

NEW REPORTING TITLE: Thyroglobulin Antibody

PREVIOUS REFERENCE VALUE:
THYROGLOBULIN ANTIBODY SCREEN
<4.0 IU/mL

NEW REFERENCE VALUE:
THYROGLOBULIN ANTIBODY
<116 IU/mL

NOTE: CPT codes and fees for #84382 Thyroglobulin Antibody Screen, Serum, remain unchanged.

NOTE: Unit Code #57208 Thyroglobulin Antibody referred to Quest Diagnostics, San Juan Capistrano, will become obsolete April 12, 2011.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager
Greg Renkly, Mayo Medical Laboratories' Technologist Support
Telephone: 800-533-1710