

## TEST CHANGE MML JACKSONVILLE

**NOTIFICATION DATE:** March 10, 2011 **EFFECTIVE DATE:** March 15, 2011

## THYROGLOBULIN, TUMOR MARKER, SERUM #800126

**EXPLANATION:** Mayo Medical Laboratories Jacksonville test #800126 Thyroglobulin, Tumor Marker, Serum remains obsolete at this time. However, Mayo Medical Laboratories, Rochester, has validated methodology on the Roche Cobas platform for Thyroglobulin Antibody Screen, Serum. Currently the Roche Cobas platform is not available in our MML Jacksonville Laboratory. Therefore, effective March 15, 2011, new Rochester test code #32516 Thyroglobulin Antibody Screen, Serum, will be activated and available as a replacement for test code #57208 Thyroglobulin Antibody referred to Quest Diagnostics, San Juan Capistrano for our MML Jacksonville clients only.

**ALTERNATIVE TEST:** #800131 Thyroglobulin, Tumor Marker, Serum

**METHODOLOGY:** Beckman Coulter UniCel DxI Immunoenzymatic Assay

SPECIMEN REQUIREMENTS: Container/Tube: Plain, red-top tube or serum gel tube

**Specimen Volume:** 0.6 mL of serum

**CPT CODE:** 84432

**LIST FEE:** \$119.90

**REFERENCE VALUE:** > or =16 years: < or =33 ng/mL

Athyrotic individuals normally have human thyroglobulin values < or = 2 ng/mL.

ALTERNATIVE TEST: Rochester Test Code #32516 Thyroglobulin Antibody Screen, Serum

**METHODOLOGY:** Roche Electrochemiluminescence assay

**REFERENCE VALUES:** < 22 IU/mL

SPECIMEN REQUIREMENTS: Container/Tube: Plain, red-top tube or serum gel tube

**Specimen Volume:** 0.6 mL of serum

**CPT CODE**: 86800

**LIST FEE:** \$117.30

**NOTE:** CPT code and client fees for test #32516 Thyroglobulin Antibody Screen, will be unchanged from Jacksonville test #800127 Thyroglobulin Antibody Screen.

**NOTE:** Unit Code #57208 Thyroglobulin Antibody referred to Quest Diagnostics, San Juan Capistrano, will become obsolete April 12, 2011.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager Greg Renkly Mayo Medical Laboratories' Technical Support Telephone: 800-533-1710