



**MAYO CLINIC**  
 Mayo Medical Laboratories

**TEST DEFINITION**

3/14/2011

Code Name  
 -----  
 83392 C5 Complement, Functional, S

\*\*\*\* End of Name to order code Report \*\*\*\*

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
83392	2/23/2011		C5 Complement, Functional, S			MCR
			Transport temp : Frozen <14 days\Refrig NO\Ambient NO			
			83392 C5 Complement, Functional, S			
			Units: U/mL			
			NO SEX			
			All Ages : 29-53		; 29-53	
			MALE			
			All Ages : 29-53		; 29-53	
			FEMALE			
			All Ages : 29-53		; 29-53	
			TEST CODE ALWAYS MESSAGE - [ZASR]			
			ZASR Analyte Specific Reagent			
			This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.			

\*Performing Site Legend

```

=====
==
MCR      Mayo Clinic Dpt of Lab Med & Pathology      LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          200 First Street SW
          Rochester, MN 55905
=====
==

```

\*\*\* End of Report \*\*\*

MML

Messages used as normals

CODE

TEXT

-----

-----

Total of 0 normals codes

\*\*\* End of Report \*\*\*