MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

04/12/2011

```
MML                                Name/order code cross-reference
Code   Name
----   --------------------
88782  HIV-1 Geno Reflex to Pheno Predict

MML                                  MML Test setup information
  ORDER      EFF                                                                                    Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
   88782     3/24/2011     HIV-1 Geno Reflex to Pheno Predict                                     SDL
                   UNIT CODE ALWAYS MESSAGE - [Z82340D]
                          Testing was performed by RT-PCR and DNA sequencing method
                          (Trugene HIV-1 Genotyping Kit; Siemens Healthcare
                          Diagnostics, Inc.), and results were based on manufactur-
                          er's most recent FDA-approved interpretive guidelines.
                          Results obtained by different assay methods should not be
                          used interchangeably.
                   Transport temp : Frozen\Refrig NO\Ambient NO
                   82340    HIV-1 Genotypic Drug Resistance, P
                                 NO SEX
                              All Ages :                                ; Not applicable
                                 MALE
                              All Ages :                                ; Not applicable
                                 FEMALE
                              All Ages :                                ; Not applicable
                            TEST CODE ALWAYS MESSAGE - [ZHIV1]
                            ZHIV1    Interpretation of following results:
                                     RESIST= Resistant
                                     SUSC= No evidence of resistance
                                     PR= Possible resistance
                                     IE= Insufficient evidence
                          -  -  -  -  -
                   21395    Reverse Transcriptase Mutations
                          -  -  -  -  -
                   21411    Abacavir
                          -  -  -  -  -
```

MML MML Test setup information

MML ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
88782 (continued)						
		21406	Didanosine			
			- - - - -			
		21412	Lamivudine/Emtricitabine			
			- - - - -			
		21408	Stavudine			
			- - - - -			
		21530	Tenofovir			
			- - - - -			
		21405	Zidovudine			
			- - - - -			
		21414	Efavirenz			
			- - - - -			
		31267	Etravirine			
			- - - - -			
		21410	Nevirapine			
			- - - - -			
		21400	Protease Mutations			
			- - - - -			
		23624	Atazanavir			
			- - - - -			
		28076	Atazanavir with Ritonavir			
			- - - - -			
		26784	Darunavir with Ritonavir			
			- - - - -			
		26732	Fosamprenavir			
			- - - - -			
		26733	Fosamprenavir with Ritonavir			
			- - - - -			
		21415	Indinavir			
			- - - - -			
		26734	Indinavir with Ritonavir			
			- - - - -			
		21532	Lopinavir with Ritonavir			
			- - - - -			
		21416	Nelfinavir			
			- - - - -			
		26735	Saquinavir with Ritonavir			
			- - - - -			
		28201	Tipranavir with Ritonavir			
			- - - - -			
		32365	Last viral load date (mm/dd/yyyy):			
			- - - - -			
		32407	Was last HIV-1 viral load >1,000?			
			- - - - -			

- -

MML MML Test setup information

*Performing Site Legend

SDL	Mayo Clinic Dpt of Lab Med & Pathology Superior Dr. 3050 Superior Dr. NW Rochester, MN 55901	LAB DIRECTOR: Franklin R. Cockerill, III, M.D.

MML Messages used as normals

CODE	TEXT

Total of 0 normals codes

*** End of Report ***