



TEST DEFINITION

4/12/2011

CODE NAME

91544 MYOSITIS ANTIBODY PANEL

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
91544	4/11/2011		MYOSITIS ANTIBODY PANEL			
			UNIT CODE ALWAYS MESSAGE - [ZRDLR]			
			TEST PERFORMED BY: RDL REFERENCE LABORATORY, INC.			
			10755 VENICE BLVD			
			LOS ANGELES, CA 90034			
			TRANSPORT TEMP : REFRIG 7 DAYS\FROZEN 6 MONTHS\AMBIENT 2 DAYS			
			91544 MI-2			
			NO SEX			
			ALL AGES :			; NEGATIVE
			MALE			
			ALL AGES :			; NEGATIVE
			FEMALE			
			ALL AGES :			; NEGATIVE
			- - - - -			
			24462 PL-7			
			NO SEX			
			ALL AGES :			; NEGATIVE
			MALE			
			ALL AGES :			; NEGATIVE
			FEMALE			
			ALL AGES :			; NEGATIVE
			- - - - -			
			24463 PL-12			
			NO SEX			
			ALL AGES :			; NEGATIVE
			MALE			
			ALL AGES :			; NEGATIVE

(CONTINUED NEXT PAGE)

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PERFORM PRINT NORMALS (# CODED)	SITE *
91544	(CONTINUED)					
		24463	PL-12 (CONTINUED) FEMALE			
			ALL AGES :		; NEGATIVE	
		24464	EJ NO SEX			
			ALL AGES :		; NEGATIVE	
			MALE			
			ALL AGES :		; NEGATIVE	
			FEMALE			
			ALL AGES :		; NEGATIVE	
		24465	OJ NO SEX			
			ALL AGES :		; NEGATIVE	
			MALE			
			ALL AGES :		; NEGATIVE	
			FEMALE			
			ALL AGES :		; NEGATIVE	
		24467	SRP NO SEX			
			ALL AGES :		; NEGATIVE	
			MALE			
			ALL AGES :		; NEGATIVE	
			FEMALE			
			ALL AGES :		; NEGATIVE	
		24466	KU NO SEX			
			ALL AGES :		; NEGATIVE	
			MALE			
			ALL AGES :		; NEGATIVE	
			FEMALE			
			ALL AGES :		; NEGATIVE	
		24468	U2 SN RNP NO SEX			
			ALL AGES :		; NEGATIVE	
			MALE			
			ALL AGES :		; NEGATIVE	
			FEMALE			
			ALL AGES :		; NEGATIVE	

TEST CODE ALWAYS MESSAGE - [Z24468]

Z24468 THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS
VALIDATED BY RDL INC. THE FDA HAS DETERMINED THAT APPROVAL
FOR THIS TEST IS NOT NECESSARY. THIS IS AN ANALYTE SPECIFIC

REAGENT (ASR) TEST.

- - - - -

*PERFORMING SITE LEGEND

=====
==
=====
==

CODE TEXT

TOTAL OF 0 NORMALS CODES

*** END OF REPORT ***