MAYO CLINIC
Mayo Medical Laboratories

LABORATORY SERVICE REPORT

1-800-533-1710

PATIENT NAME	PATIENT NUMBER	AGE	SEX	ACCESSION #
TESTING, ANN	L3MRNG9168198	11M	F	G9168198

ORDERING PHYSICIAN	CLIENT ORDER #	ACCOUNT #
		LIAISONS

COLLECTION DATE TIME	RECEIVED DATE TIME	REPORT PRINTED DATE TIME	SPECIMEN INFORMATION
04/11/11 05:15 A	04/11/11 05:37 A	04/19/11 12:19 P	DATE OF BIRTH: 4/12/2010

Test Client
Attn: Mayo Liaisons
200 First Street SW
Rochester, MN 55905
507-284-8202

TEST REQUESTED	HI LO		REF RANGE	PERFORM SITE *
Plasma Hemoglobin, P				**REPORTED: 04/11/11 08:01 A**
Total Hemoglobin	**15.3**	**mg/dL**		**MCR**

```
-- EXPECTED VALUES --
Reference values have not been
established for patients that
are less than 12 months of age.
```

Oxyhemoglobin	**12.6**	**mg/dL**		**MCR**

```
Both total and oxyhemoglobin values are reported. If there
is a discrepancy between the values, the oxyhemoglobin
measurement is the least affected by potential
interfering substances such as bilirubin or medications.
Additionaly false elevations in plasma hemoglobin levels
are commonly seen due solely to artifactual in-vitro effects
such as: delayed separation of plasma from red blood cells
(greater than 2 hours), traumatic draws/incorrect tube
draw sequence, or any post draw condition which causes
hemolysis in the tube (i.e. increased temperature,
excessive vortexing, etc.). Positive results should be
interpreted as a component of the complete clinical
context.
-- EXPECTED VALUES --
Reference values have not been
established for patients that
are less than 12 months of age.
```

*** PERFORMING SITE**

MCR	Mayo Clinic Dpt of Lab Med & Pathology 200 First Street SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

PATIENT NAME	ORDER STATUS	COLLECTION DATE AND TIME
TESTING, ANN	Final	04/11/11 05:15 A

Specimen receipt and report times are in CST/CDT

REPRINT