MAYO CLINIC Mayo Medical Laboratories

TEST DEFINITION

4/19/2011

ORDER EFF PERFORM CODE DATE TC TITLE PRINT NORMALS (# CODED) SITE * CHECKING NORMALS 81147 5/24/2005 BABESIA MICROTI PCR, B MCR TRANSPORT TEMP : REFRIG\FROZEN NO\AMBIENT NO 81147 BABESIA MICROTI PCR, B NO SEX ALL AGES : ; NEGATIVE MALE ALL AGES : ; NEGATIVE FEMALE ALL AGES : ; NEGATIVE TEST CODE ALWAYS MESSAGE - [ASR] ASR THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY LABORATORY MEDICINE AND PATHOLOGY, MAYO CLINIC. IT HAS NOT BEEN CLEARED OR APPROVED BY THE U.S. FOOD AND DRUG ADMINISTRATION. *PERFORMING SITE LEGEND MAYO CLINIC DPT OF LAB MED & PATHOLOGY LAB DIRECTOR: FRANKLIN R. COCKERILL, III, M.D. MCR 200 FIRST STREET SW ROCHESTER, MN 55905 _______ *** END OF REPORT ***

Total of 0 normals codes

CODE

*** END OF REPORT ***

TEXT