MAYO CLINIC
Mayo Medical Laboratories

LABORATORY SERVICE REPORT

1-800-533-1710

PATIENT NAME	PATIENT NUMBER	AGE	SEX	ACCESSION #
TESTING, 91556	L3MRNW4129518	51	F	W4129518

ORDERING PHYSICIAN	CLIENT ORDER #	ACCOUNT #
		LIAISONS

COLLECTION DATE TIME	RECEIVED DATE TIME	REPORT PRINTED DATE TIME	SPECIMEN INFORMATION
08/19/11 09:51 A	08/19/11 09:51 A	08/19/11 12:10 P	DATE OF BIRTH: 6/19/1960

Test Client
Attn: Mayo Liaisons
200 First Street SW
Rochester, MN 55905
507-284-8202

TEST REQUESTED	HI LO		REF RANGE	PERFORM SITE *
Hepatitis B Surface Ag Confirm				REPORTED: 08/19/11 09:53 A
Hepatitis B Surface Ag Confirm		Positive	Non Confirmed	REF

Hepatitis B surface antigen (HBsAg) did neutralize using anti-HBs. This specimen is therefore POSITIVE for HBsAg. False positives can occur. If the result is not supported by clinical evidence, repeat testing of a new sample usually helps clarify the diagnosis.
TEST INFORMATION: Hepatitis B Surface Ag Confirmation
This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).
Test Performed by: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108

* PERFORMING SITE

PATIENT NAME	ORDER STATUS	COLLECTION DATE AND TIME
TESTING, 91556	Final	08/19/11 09:51 A