

## **TEST DEFINITION**

1/10/2012

CODE	Name
FAIGA	ANTI-IGA

TEST SETUP INFORMATION

ORDER	RESULT				PERFORM	
CODE	CODE	TITLE	CHECKING NORMALS	PRINT NORMALS	SITE *	
FAIGA		Anti-IgA			Y047	

Transport temp: Refrigerated <14 days\Ambient <48 hours\Frozen <365 days

Z2537 ANTI-IGA

TZ372

UNITS: U/ML
UNKNOWN GENDER

OD TO 150Y : 0-113 <113 MALE OD TO 150Y : 0-113 <113 FEMALE

0D TO 150Y : 0-113 <113

TEST CODE ALWAYS MESSAGE - [TZ372]

PATIENTS WITH IGG ANTIBODIES AGAINST IGA MAY SUFFER FROM ANAPHYLACTOID REACTIONS WHEN GIVEN IVIG THAT CONTAINS SMALL QUANTITIES OF IGA. IN ONE STUDY (CLINICAL IMMUNOLOGY 2007;122:156) FIVE OUT OF EIGHT PATIENTS WITH IGG ANTI-IGA ANTIBODIES DEVELOPED ANAPHYLACTOID REACTIONS WHEN IVIG WAS ADMINISTERED.

THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY VIRACOR-IBT LABORATORIES. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA.

\*PERFORMING SITE LEGEND

......

Y047 VIRACOR-IBT LABORATORIES 1001 NW TECHNOLOGY DR LEE'S SUMMIT, MO 64086