

## **TEST DEFINITION**

2/10/2012

Name/order code cross-reference

CODE NAME

ORDER

CODE

----

FRSGI RMSF, IGG, IFA

TEST SETUP INFORMATION

RESULT PERFORM

CODE TITLE CHECKING NORMALS PRINT NORMALS SITE \*

---- ---- ----- ------

FRSGI RMSF, IgG, IFA Y060

Transport temp : Refrigerated <5 days\Frozen <14 days

FRSGI RMSF, IGG, IFA

UNITS:

ALL GENDERS/AGES: GZO1

TEST CODE ALWAYS MESSAGE - [TZ379]

TZ379 Titers of 1:64 are suggestive of past or possible current

INFECTION. TITERS >1:64 ARE SUGGESTIVE OF RECENT OR ACTIVE INFECTION. APPROXIMATELY 9% OF SPECIMENS POSITIVE BY EIA

SCREEN ARE NEGATIVE BY IFA.

\*PERFORMING SITE LEGEND

LAB DIRECTOR:

Y060 LABCORP BURLINGTON

1447 YORK COURT

BURLINGTON, NC 27215

\_\_\_\_\_\_

MESSAGE USED AS NORMALS

CODE TEXT

----

GZO1 NEGATIVE <1:64
POSITIVE 1:64

RECENT/ACTIVE >1:64

TOTAL OF 1 NORMALS CODES.

\*\*\* END OF REPORT \*\*\*