

## TEST UPDATE REFERRAL

**NOTIFICATION DATE:** March 9, 2012 **EFFECTIVE DATE:** Immediately

## HIV-1 PHENOTYPIC DRUG RESISTANCE PREDICTION (ADD-ON)

Test ID: VPHIV Secondary ID: 88781

**EXPLANATION OF CHANGE:** The reference testing laboratory to which Mayo Medical Laboratories refers this test has been acquired by a new company, and this CLIA-certified laboratory has a new name (Janssen Diagnostics BVBA).

**Previous performing laboratory**: VIRCO Lab, Inc. USA

1125 Trenton-Harbouton Road

Titusville, NJ 08560

**New performing laboratory**: Janssen Diagnotics BVBA

Turnhoutsweg 30 2340 Beerse Belgium

## NOTE:

• This test can only be requested if MML has performed GHIV / 82340 "HIV-1 Genotypic Drug Resistance Mutation Analysis, Plasma" within 3 months of the phenotype request.

 Phenotypic analysis (VPHIV / 88781) will not be performed when there are no clinically relevant drug resistance mutations detected by HIV-1 genotypic drug resistance testing (GHIV / 82340).

QUESTIONS: Contact Kim J. Baker, MML Laboratory Technologist Resource Coordinator Telephone: 800-533-1710