

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name TESTING,89009	Patient ID	Age	Gender	<b>Order #</b> W3003550
Ordering Phys		DOB		
Client Order # W3003550	Account Information C7999998-STUSTEST	Report N	Report Notes	
<b>Collected</b> 10/22/2009 06:00	200 FIRST STREET SW ROCHESTER, MN 55901			
Printed 10/22/2009 11:52	(507)266-5730			

Test Flag Results Unit Value Site\*

REPORTED 10/22/2009 11:46

CD40 by Flow, QL, B

Normal Expression

MCR

CD40 is present on the surface of CD19+ B cells.
Analyte Specific Reagent
This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. This test has not been cleared or approved by the U.S. Food and Drug Administration.

## \* Performing Site:

MCR	Mayo Clinic Dpt of Lab Med & Pathology 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
TESTING,89009	10/22/2009 06:00	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT