

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age		Order #
SAMPLEREPORT,C4U	SA00044874	45	F	SA00044874
Ordering Phys				DOB 06/10/1966
Client Order #	Account Information			Report Notes
SA00044874	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE			
Collected				
03/26/2012 10:00				
Printed	ROCHESTER,MN 55901			
04/20/2012 10:58				

Reference Test Flag Results Unit Value

REPORTED 03/27/2012 11:31

C4 Acylcarnitine, QN, U

1.62

mmol/mol Cr <3.00

C4 Interpretation In this sample, the excretion of C4 acylcarnitine (a mixture of butyryl- and isobutyrylcarnitine) was normal. Flow Injection Analysis-Tandem Mass Spectrometry (FIA-MS/MS) Reviewed By Jennifer Peterson

* Performing Site:

MCR	Mayo Clinic Dpt of Lab Med & Pathology 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.I
-----	---	---

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,C4U	03/26/2012 10:00	Final
Page 1 of 1		** End of Report

^{*} Report times for Mayo performed tests are CST/CDT