

|  |  |                  |                    |                              |
|--|--|------------------|--------------------|------------------------------|
| <b>Patient Name</b><br>TEST,IMPLEMENTATION TESTING | <b>Patient ID</b><br>321   | <b>Age</b><br>56 | <b>Gender</b><br>M | <b>Order #</b><br>X100029235 |
| <b>Ordering Phys</b><br>TESTING                    |  |                  |                    | <b>DOB</b><br>05/23/1955     |
| <b>Client Order #</b><br>X100029235                | <b>Account Information</b>   |                  |                    | <b>Report Notes</b>          |
| <b>Collected</b><br>04/25/2012 10:30               | C7028846-DLMP ROCHESTER<br>3050 SUPERIOR DRIVE<br>ROCHESTER,MN 55901 |                  |                    |                              |
| <b>Printed</b><br>04/25/2012 13:33                 |  |                  |                    |                              |

| Test                    | Flag | Results | Unit  | Reference Value | Perform Site* |
|-------------------------|------|---------|-------|-----------------|---------------|
| <b>Histamine Plasma</b> |      | <0.10   | ng/mL | <1.0            | Y04<br>7      |

REPORTED 04/25/2012 11:02

This test was developed and its performance characteristics determined by the Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

\* Performing Site:

|      |   |               |
|------|---|---------------|
| Y047 | Viracor-IBT Laboratories<br>1001 NW Technology Dr. Lee's Summit, MO 64086 | Lab Director: |
|------|---|---------------|

|  |   |                               |
|--|---|-------------------------------|
| <b>Patient Name</b><br>TEST,IMPLEMENTATION TESTING | <b>Collection Date and Time</b><br>04/25/2012 10:30 | <b>Report Status</b><br>Final |
| Page 1 of 1  |   | ** End of Report **           |

\* Report times for Mayo performed tests are CST/CDT