

**TEST DOWN NOTIFICATION**
**NOTIFICATION DATE:** May 3, 2012

**EFFECTIVE DATE:** Immediately

**Lupus Profile**  
**Test ID: PR229**  
**Secondary ID: 83834**

**EXPLANATION:** Due to reagent performance issues for MCLIP- Phospholipid Ab IgM, S and GCLIP- Phospholipid Ab IgG, S this custom profile will become non-orderable effective immediately. Phospholipid Antibody testing will be referred to ARUP during this test down period.

**Profile Information**

Test ID	Reporting Name	Available Separately	Always Performed
ADNA	DNA Double-Stranded Ab, IgG, S	Yes	Yes
ANA2	Antinuclear Ab, S	Yes	Yes
RHUT	Rheumatoid Factor, S	Yes	Yes
MCLIP	Phospholipid Ab IgM, S	Yes	Yes
GCLIP	Phospholipid Ab IgG, S	Yes	Yes

**NOTE:** Once this has been resolved, the test code may be reactivated.

**RECOMMENDED ALTERNATE TESTS:** To replace this custom profile the following tests will need to be ordered individually:

Test ID	Reporting Name	Available Separately	Always Performed
ADNA	DNA Double-Stranded Ab, IgG, S	Yes	Yes
ANA2	Antinuclear Ab, S	Yes	Yes
RHUT	Rheumatoid Factor, S	Yes	Yes
FCARM	Phospholipid Ab IgM, S	Yes	Yes
FCARG	Phospholipid Ab IgG, S	Yes	Yes

**NOTE:** See individual Test ID codes for specimen information.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager or  
 Dawn Keller, MML Laboratory Technologist Resource Coordinator  
 Telephone: 800-533-1710