

PIPECOLIC ACID, SERUM

Test ID: PIPA

Secondary ID: 81326

EXPLANATION: Effective June 5, 2012, there will be reference value changes for Test ID – PIPA, Pipecolic Acid, Serum. In addition, select result code fields will be removed from the report.

CURRENT REFERENCE VALUE:

< or =1 week: 3.75-10.80 nmol/mL

>1 week: 0.70-2.50 nmol/mL

NEW REFERENCE VALUE:

<6 months: <= 6.0 nmol/mL

6 months to <1 year: <= 5.9 nmol/mL

1 year to 17 years: <= 4.3 nmol/mL

> or =18 years: <=7.4 nmol/mL

CURRENT RESULT CODES:

29956 – Specimen
29957 - Specimen ID
29958 – Source
29959 - Order Date
29960 - Reason For Referral
29961 - Method
81326 - Pipecolic Acid, S
29962 - Interpretation
29963 - Amendment
29964 - Reviewed By
29965 - Release Date

NEW RESULT CODES:

81326 - Pipecolic Acid, S
29962 - Interpretation
29964 - Reviewed By

NOTE: Effective with this change, all orders placed for this test must be submitted in the alpha-numeric character Test ID format instead of the numeric Secondary ID. Please review Test Set-Up information at <http://www.mayomedicallaboratories.com/test-notifications/index.html>

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager or
Leah Saint-Fort, MML Laboratory Technologist Resource Coordinator
Telephone: 800-533-1710